

Volume 16

1983


THE
GREAT LAKES
ENTOMOLOGIST

INDEX

Compiled by George C. Heaton

<i>Number</i>	<i>Publication Date</i>
1	27 May 1983
2	11 July 1983
3	8 Aug. 1983
4	22 Mar. 1984

PUBLISHED BY
THE MICHIGAN
ENTOMOLOGICAL
SOCIETY



THE GREAT LAKES ENTOMOLOGIST
VOLUME XVI (1983)
AUTHOR INDEX

- Anderson, Richard L. and Pam Shubat. Insecticide Effects on Normal Development and Hatch of Embryos of *Paratanytarsus parthenogeneticus* (Diptera: Chironomidae), 177.
- Bauer, Leah S. (See Lorimer, Nancy and Leah S. Bauer), 149.
- Bauer, Leah S. (See Lorimer, Nancy and Leah S. Bauer), 153.
- Benjamin, Daniel M. (See Haack, Robert A., Daniel M. Benjamin, and Kevin D. Haack), 47.
- Benjamin, D. M. (See Rauf, Aunu and D. M. Benjamin), 183.
- Coppel, H. C. (See Mohamed, M. A. and H. C. Coppel), 139.
- Croft, B. A. Status and Management of Pyrethroid resistance in the Predatory Mite, *Amblyseius fallacis* (Acarina: Phytoseiidae), 17.
- Cuperus, Gerrit W. (See Radcliffe, Edward B., Gerrit W. Cuperus, and John K. Flessel), 127.
- Dreistadt, Steve H. An Assessment of Gypsy Moth Eradication Attempts in Michigan (Lepidoptera: Lymantriidae), 143.
- Dunn, Gary A. Collections of Hibernating Ground Beetles (Coleoptera: Carabidae), 34.
- Eertmoed, Elizabeth (See Eertmoed, Gary and Elizabeth Eertmoed), 123.
- Eertmoed, Gary and Elizabeth Eertmoed. A Collection of Psocoptera from Voyageurs National Park, Minnesota, 123.
- Ferge, Leslie A. Distribution and Hybridization of *Hyalophora columbia* (Lepidoptera: Saturniidae) in Wisconsin, 67.
- Flessel, John K. (See Radcliffe, Edward B., Gerrit W. Cuperus, and John K. Flessel), 127.
- Gosling, D. C. L. New State Records of Cerambycidae from Michigan (Coleoptera), 187.
- Haack, Kevin D. (See Haack, Robert A., Daniel M. Benjamin, and Kevin D. Haack), 47.
- Haack, Robert A., Daniel M. Benjamin, and Kevin D. Haack. Buprestidae, Cerambycidae, and Scolytidae Associated with Successive Stages of *Agrilus bilineatus* (Coleoptera: Buprestidae) Infestation of Oaks in Wisconsin, 47.
- Henry, T. J. (See McPherson, J. E., B. C. Weber, and T. J. Henry), 35.
- Kurczewski, Frank E. and Mark F. O'Brien. A Note on the Nesting of *Mimesa lutaria* (Hymenoptera: Sphecidae), 167.
- Lorimer, Nancy and Leah S. Bauer. Reproductive Compatibility Within and Among Spruce Budworm (Lepidoptera: Tortricidae) Populations, 149.
- Lorimer, Nancy and Leah S. Bauer. Spruce Budworm Weight and Fecundity: Means, Frequency Distributions, and Correlations for Two Populations (Lepidoptera: Tortricidae), 153.
- McPherson, J. E., B. C. Weber, and T. J. Henry. Seasonal Flight Patterns of Hemiptera in a North Carolina Black Walnut Plantation. 7. Miridae, 35.
- McPherson, J. E., T. E. Vogt, and S. M. Paskewitz. Effects of Various Split Developmental Photophases and Constant Light During Each 24 Hour Period on Adult Morphology in *Thyanta calceata* (Hemiptera: Pentatomidae), 43.
- Miller, William E. Nearctic *Endothenia* Species: A New Synonymy, A Misidentification, and a Revised Status (Lepidoptera: Tortricidae), 5.
- Mohamed, M. A. and H. C. Coppel. Mass Rearing of the Greater Wax Moth, *Galleria mellonella* (Lepidoptera: Pyralidae), for Small-scale Laboratory Studies, 139.
- Mosher, Daniel G. (See Nyrop, Jan P., Jeffrey T. Olson, Daniel G. Mosher, and Gary A. Simmons), 157.
- Mosher, Daniel G. (See Wilson, Louis F., Daniel G. Mosher, and Gary A. Simmons), 109.

- Munsterman, Leonard E. (See Nasci, Roger S., David B. Taylor, and Leonard E. Munsterman), 33.
- Nasci, Roger S., David B. Taylor, and Leonard E. Munsterman. First Record of the Mosquitoes *Aedes dupreei*, *Psorophora horrida*, and *Psorophora mathesoni* (Diptera: Culicidae) in St. Joseph County, Indiana, 33.
- Neel, Joe K. (See Stoaks, Ralph D., Joe K. Neel, and Richard L. Post), 171.
- Nyrop, Jan P., Jeffrey T. Olson, Daniel G. Mosher, and Gary A. Simmons. Simulation of How Jack Pine Budworm (Lepidoptera: Tortricidae) Affects Economic Returns from Jack Pine Timber Production in Michigan, 157.
- O'Brien, Mark F. Bibliographic Guide to the Terrestrial Arthropods of Michigan, 87.
- O'Brien, Mark F. (See Kurczewski, Frank E. and Mark F. O'Brien), 167.
- Olson, Jeffrey T. (See Nyrop, Jan P., Jeffrey T. Olson, Daniel G. Mosher, and Gary A. Simmons), 157.
- Opell, Brent D. Checklist of American Uloboridae (Arachnida: Araneae), 61.
- Paskewitz, S. M. (See McPherson, J. E., T. E. Vogt, and S. M. Paskewitz), 43.
- Post, Richard L. (See Stoaks, Ralph D., Joe K. Neel, and Richard L. Post), 171.
- Radcliffe, Edward B., Gerrit W. Cuperus, and John K. Flessel. Establishment of the Alfalfa Weevil Parasite *Microctonus Aethiopoidea* (Hymenoptera: Braconidae) in Minnesota, 127.
- Rauf, Annu and D. M. Benjamin. Spatial Distribution of Jack Pine Cones and Those Attacked by Insects, 183.
- Riefner, Richard E., Jr. (See Voss, Edward G., and Richard E. Riefner, Jr.), 57.
- Rockett, C. Lee and Donald A. Somers. Host-Feeding Behavior of the House Mosquito *Culex pipiens* in Northwest Ohio (Diptera: Culicidae), 73.
- Ruppel, Robert F. Addendum to the Inventory of Stored Grain Insects in Michigan, 182.
- Ruppel, Robert F. Some Observations on Insecticide Resistance, 101.
- Shubat, Pam. (See Anderson, Richard L. and Pam Shubat), 177.
- Simmons, Gary A. (See Nyrop, Jan P., Jeffrey T. Olson, Daniel G. Mosher, and Gary A. Simmons), 157.
- Simmons, Gary A. (See Wilson, Louis F., Daniel F. Mosher, and Gary A. Simmons), 109.
- Snider, Richard J. *Sminthurus Mendenbergae*, New Species From Canada and Michigan (Collembola: Sminthuridae), 115.
- Somers, Donald A. (See Rockett, C. Lee and Donald A. Somers), 73.
- Stehr, Frederick W. The World of The Tent-Makers. A Natural History of the Eastern Tent Caterpillar. by V. G. Dethier. (Review), 72.
- Stoaks, Ralph D., Joe K. Neel, and Richard L. Post. Observations on North Dakota Sponges (Haplosclerina: Spongillidae) and Sisyrids (Neuroptera: Sisyridae), 171.
- Taylor, David B. (See Nasci, Roger S., David B. Taylor, and Leonard E. Munsterman), 33.
- Thomas, H. A. Field Evaluation of Trap Components for the Introduced Pine Sawfly, *Diprion similis* (Hymenoptera: Diprionidae), 13.
- Vogt, T. E. (See McPherson, J. E., T. E. Vogt, and S. M. Paskewitz), 43.
- Voss, Edward G. Moths of the Douglas Lake Region (Emmet and Cheboygan Counties), Michigan: 111. Thyatiridae, Drepanidae, Lasiocampidae, Notodontidae, Lymantriidae (Lepidoptera), 131.
- Voss, Edward G., and Richard E. Riefner, Jr. A Pyralid Moth (Lepidoptera) as Pollinator of Blunt-leaf Orchid, 57.
- Waldbauer, G. P. Flower Associations of Mimetic Syrphidae (Diptera) in Northern Michigan, 79.
- Weber, B. C. (See McPherson, J. E., B. C. Weber, and T. J. Henry), 35.
- Wilson, Louis F., Daniel G. Mosher, and Gary A. Simmons. Michigan's Cooperative Forest Pest Management Program, A Team Approach to Improving Forest Management, 109.
- Wilson, Stephen W. Description of the Fifth Instar of *Epiptera opaca* (Homoptera: Fulgoroidea: Achilidae), 1.
- Wilson, Stephen W. The First Record of *Delphacodes havanae* in The United States (Homoptera: Fulgoroidea: Delphacidae), 188.

SUBJECT INDEX

- Acalyptratae, 91
Acanthomyces, 93.
Acarina, 17-32, 39, 89.
Achilidae, 1-3.
Acrididae, 96.
Acupalpus canadensis, 34.
Acupalpus rectangularis, 34.
Acyrtosiphon pisum, 39.
Adelphocoris lineolatus, 36, 39.
Adelphocoris rapidus, 36.
Adopaea lineola, 94.
Aedes, 57, 75, 76.
Aedes dorsalis, 75, 76.
Aedes dupreei, 33.
Aedes vexans, 75, 76.
Agapostemon, 92.
Agnocoris pulverulentus, 36.
Agonum extensicollis, 34.
Agonum gratiosum, 34.
Agonum melanarium, 34.
Agonum palustre, 34.
Agonum propinquum, 34.
Agonum puncticeps, 34.
Agonum sordens, 34.
Agrilus bilineatus, 47-55.
Agromyza frontella, 39.
Agromyzidae, 91.
Alfalfa blotch leafminer, 39.
Alfalfa plant bug, 39.
Alfalfa weevil, 39, 127-130.
Allocephalus, 92.
Alsophila pomataria, 47.
Alyson conicus, 167, 168.
Amblyseius fallacis, 17-32.
Ambrosia beetle, 47, 50-54.
Ametropodidae, 91.
Ametropus neavei, 91.
Amisus macula, 47-54.
Amphigerontia bifasciata, 125.
Amphigerontia montivaga, 125.
Amphigerontia petiolata, 125, 126.
Anageshna primordialis, 57-60.
Anaphaenidae, 88.
Anisodactylus kirbyi, 34.
Anisoptera, 96.
Anomopsocus amabilis, 125.
Anopheles punctipennis, 75.
Anopheles quadrimaculatus, 76.
Anoplura, 88.
Ants, 39, 92, 93.
Apatura clyton, 93.
Aphididae, 92.
Aphidius ervi pulcher, 39.
Aphidius smithi, 39.
Aphids, 35, 39.
Aphilanthops, 92.
Aphis gossypii, 35.
Aphrophora saratogensis, 110, 113, 114.
Apidae, 79, 80, 82, 92.
Apinae, 79, 80, 82.
Apoidea, 92.
Appalachia, 96.
Apple maggot, 31.
Arachnida, 17-32, 35, 39, 61-66, 88, 89.
Aradidae, 35.
Aranea geniculata, 64.
Araneae, 61-66, 88.
Ariston masolus, 62.
Ariston aristus, 62.
Ariston albicans, 62.
Asellus, 179.
Aseminae, 89.
Asilidae, 90.
Asynapta hopkinsi, 183, 184.
Atherix variegata, 179.
Atrytone dukesii, 94.
Atypidae, 88.
Atypus milberti, 88.
Augochlora, 92.
Augochlora, 92.
Augochloropsis, 92.
Baetis, 91.
Beach-grasshoppers, 96.
Bees, 79, 80, 82, 92.
Beetles, 33, 34, 39, 47-55, 87-90, 167, 168, 182.
Bembidion castor, 34.
Bembecidae, 92.
Bembidion frontale, 34.
Bembidion graciliforme, 34.
Bembidion musciicola, 34.
Bembidion patrulele, 34.
Berthia crosbyana, 123.
Black flies, 90.
Blaste subquata, 125.
Blaste quata, 125.
Blastopsocus lithinus, 125.
Boloria eunomia, 94.
Boloria frigga, 93.
Bombidae, 92.
Bombinae, 89.
Bombus spp., 92.
Braconidae, 127-130.
Bradycellus neglectus, 34.
Brown spider beetle, 182.
Bryocorinae, 38.
Bumblebees, 79, 80, 82, 92.
Buprestidae, 47-55, 90.
Butterflies, 93, 94.
Caddisflies, 97.
Caeciliidae, 123, 126.
Caecilius flavidus, 123, 126.
Caecilius confluentis, 123.
Caecilius graminis, 123.
Caecilius hyperboreus, 123, 126.
Caecilius manteri, 123.
Caecilius naderi, 123.
Caecilius pinicola, 123.
Caecilius sommermanae, 123.
Calephelis, 93.
Calicurgus, 92.
California tortoise-shell, 93.
Callophrys eryphon, 94.
Capsus ater, 36.
Carabidae, 34, 89.

Carpocapsa inaeptana, 5.
Catocala, 84.
 Cerambycidae, 47-55, 89, 90, 187.
 Cerambycinae, 89.
Ceratocapsus setosus, 37.
Ceratocapsus, sp., 37.
 Cercopidae, 92, 110, 113, 114.
Ceriana abbreviata, 81.
Ceropales, 92.
Cerura multiscripta, 134.
Cerura scitiscrupta multiscripta, 134.
 Chaoboridae, 91.
Chaoborus, 91.
 Chironomidae, 177-181.
Chlamydatus suavis, 37.
Choristoneura fumiferana, 149-156.
Choristoneura pinus, 157-165, 183, 184.
Chrysochloris femorata, 47-54.
Chrysoctonus sp. 81.
 Cicadellidae, 92, 167, 168.
Cicindela repanda, 90.
 Cicindelidae, 89, 90.
 Cicadidae, 92.
 Cicadas, 92.
 Cimicoidea, 35.
Cixidia, 1.
Climacia areolaris, 171, 172, 174.
Clostera apicalis, 133.
Clostera strigosa, 133.
Clostera albosigma, 133.
 Clover aphid, 35.
 Clubionidae, 88.
Clytoleptus albofasciatus, 187.
 Codling moth, 31, 35.
 Coleoptera, 33, 39, 47-55, 87-90, 167, 168,
 182-184, 187.
 Collembola, 90, 115-122.
 Colorado potato beetle, 39.
Conifaber parvus, 84.
Conophthorus resinosa, 183, 184.
 Corduliidae, 95.
 Coreoidea, 35.
 Corydalidae, 95.
Corydalis cornutus, 95.
Corythucha arcuata, 35.
Corythucha cydoniae, 39.
 Cotton aphid, 35.
 Crab spiders, 88.
Crabro advena, 168.
 Crane flies, 91.
Criocoris saliens, 37.
 Ctenuchidae, 94, 131.
Culex pipiens, 73-77, 149.
Culex pipiens pipiens, 73.
Culex pipiens quinquefasciatus, 73.
 Culicidae, 33, 73-77, 90, 149.
 Culicinae, 90.
 Curculionoidea, 87.
 Cyclorrhapha, 79-85.
Cydia pomonella, 31.
 Cylopinae, 38.
Cynaesus angustus, 182.
 Cyrtacanthacrinae, 96.
Cyrtophorus verrucosus, 47-49, 52-54.
 Dark mealworm, 182.
Dasychira dorsipemata, 135.
Dasychira obliquata, 135.
Dasychira pinicola, 135.
Dasychira plagiata, 135.
Dasychira vagans vagans, 135.
Dasylophia thyatiroidea, 134.
Datana ministra, 133.
Datana perspicua, 133.
 Delphacidae, 167, 168, 188.
Delphacodes, 167, 168.
Delphacodes havanae, 188.
 Deracocorinae, 35, 38-41.
Deracocoris nebulosus, 35, 38-41.
Deracocoris nigrifolius, 38.
 Dermaptera, 96.
Dermestes lardarius, 182.
 Dermestidae, 182.
Diaphnocoris provancheri, 37.
 Dicoentria, 135.
Dicerca sp., 47-54.
Dichroscytus elegans, 36.
Dichroscytus suspectus, 36.
 Dictyoptera, 96.
Dixidesmus, 95.
 Dicyphinae, 38.
Dicyphus famelicus, 38.
Dicyphus rhododendri, 38.
Dioryctria discolora, 183, 184.
Diprion similis, 13-15.
 Diprionidae, 13-15.
 Diptera, 33, 57, 59, 73-77, 79-85, 87, 88,
 90, 91, 149, 168, 177-181, 183, 184.
Doros aequalis, 81.
 Dragonflies, 88, 95, 96.
Drepana arcuata, 132.
Drepana bilineata, 132.
 Drepanidae, 313, 132.
Drosophila melanogaster, 149.
 Drosophilidae, 149.
Dyachirius pilosus, 34.
 Eastern pine seedworm, 183, 184.
 Eastern tent caterpillar, 72, 133.
Echmepteryx hageni, 123.
 Elipsocidae, 125.
Elida caniplaga, 134.
Embiopsoeus needhami, 123.
Empoa albicans, 167.
Empoasca fabae, 39.
Empoasca smaragdula, 168.
Endothenia antiquana nubilana, 8.
Endothenia daeckiana, 5, 7.
Endothenia gentianana, 5, 7.
Endothenia gentianaeana, 5, 7.
Endothenia hebesana, 5-9.
Endothenia nubilana, 5, 7-11.
Endothenia quadrimaculana, 5, 8-11.
Epeire glomosa, 64.
 Ephemeroptera, 91, 177.
 Epiptocidae, 123.
Epiptera fusca, 1.
Epiptera opaea, 1-3.
Epiptera slossoni, 1.
Eriosoma lanigerum, 35.
 Eristalinae, 79, 80, 81.
Eristalis barda, 80, 81.
Eristalis bastardi, 80.
Erora laeta, 94.
Euchloe olympia, 94.
Eucocma monitorana, 183, 184.
Eudellinia herminiata, 132.

- Eudermes picipes*, 47-48.
Euparyphus, 91.
Euptychia mitchelli, 93.
Euristrymon ontario, 94.
 European grain moth, 182.
 European red mite, 35.
Eustictus grossus, 38.
 eyespotted bud moth, 35.
 Fall cankerworm, 47.
 Floodwater mosquito, 75.
 Forest tent caterpillar, 133.
 Formicidae, 39, 92, 93.
Forticula auricularia, 96.
 Forticulidae, 96.
 Fruit fly, 149.
 Fulgoroidea, 1-3, 188.
Fulvius imbecillis, 38.
Fulvius slateri, 38.
Furcula cinerea, 134.
Furcula modesta, 134.
Furcula occidentalis, 134.
Furcula scolopendrina, 134.
Galleria mellonella, 133-141.
Gargamus fusiformis, 38.
 Geometridae, 47, 57, 59, 131.
Geshna, 57.
Gluphisia avimacula, 134.
Gluphisia septentrionis, 134.
 Gomphinae, 95.
Graminella pithii, 92.
Graphisurus fasciatus, 47-54.
 Grasshoppers, 96.
 Greater wax moth, 139-141.
 Greenhouse whitefly, 39.
 Ground beetles, 34, 89.
 Gypsy moth, 93, 135, 143-148.
 Gyrinidae, 92.
Habrosyne gloriosa, 132.
Habrosyne rectangularis, 132.
Habrosyne scripta, 132.
 Hahnidae, 89.
 Halplidae, 90.
Halticus intermedius, 37.
 Harvestman, 39.
 Hawthorn lace bug, 39.
 Hemiptera, 31, 35-42, 43-46, 91.
 Hemiteles, 92.
Hesperia paeneae, 94.
 Hesperidae, 93.
Heterocampa biundata, 134.
Heterocampa guttivitta, 134.
Heterocampa obliqua, 134.
Heterocampa umbrata, 134.
Heterocordylus nalinus, 37.
Hexagenia rigida, 177.
 Homoptera, 1-3, 35, 39, 91, 92, 110, 113, 114, 188.
 Hop aphid, 35.
 House mosquito, 73-77.
Huanacauria, 61, 62.
Hyadaphis tataricae, 92.
Hyaliodes harti, 38.
Hyaliodes vitripennis, 38.
Hyalophora cearopta, 67-71.
Hyalophora columbia, 67-71.
Hyalophora gloveri, 69.
Hyalopsocus floridanus, 125.
 Hymenoptera, 13-15, 39, 79, 80, 82, 87, 88, 92, 93, 127-130, 167-169.
Hypera postica, 39, 127-130.
Hyperaeschra stragula, 134.
Hyptiotes cavatus, 62.
Hyptiotes gertschi, 62.
Hyptiotes puebla, 62.
Hyptiotes tehama, 62.
 Ichneumonidae, 92, 93.
Ichthyura, 133.
Icodema nigrolineatum, 37.
Idiocerus, 168.
Ilnacora stali, 37.
Indtopsocus bisignatus, 125.
 Introduced pine sawfly, 13-15.
 Isopoda, 179.
 Isoptera, 93.
 Jack pine budworm, 157-165, 183, 184.
 Jumping spiders, 89.
 Katydid, 96.
Keltonia sulphurea, 35, 37, 39-41.
Lachesilla contraforcepeta, 125.
Lachesilla corona, 125.
Lachesilla forcepeta, 125.
Lachesilla pallida, 125.
Lachesilla pedicularia, 125.
 Lachesillidae, 125, 126.
 Laminae, 90.
Lanthus albistylus, 95.
 Larder beetle, 182.
 Larger black flour beetle, 182.
 Lasiocampidae, 72, 131-133.
Laspeyresia pomonella, 35.
Laspeyresia torenta, 183, 184.
Latrodeus variolus, 89.
 Leafhoppers, 39, 92.
Lebia viridis, 34.
Lecanium nigrofasciatum, 35.
Lepidopsallus claricornis, 37.
Lepidopsallus mintatus, 37.
Lepidopsallus rostratus, 37.
 Lepidopsocidae, 123.
 Lepidoptera, 5-12, 31, 35, 39, 47, 57-60, 67-71, 72, 88, 93, 94, 131-137, 139-141, 143-165, 182-184.
Lepolepis occidentalis, 123.
Leptinotarsa decemlineata, 39.
Leptopterna dolabrata, 36.
 Lepturinae, 90.
Lichenomima sp., 126.
 Liposcelidae, 123.
Liposcelis bostrychophilus, 123.
Lochmaeus manteo, 134.
Leonsia moesta, 126.
Lophodonta, 133.
Lopidea heidemanni, 37.
Lopidea media, 37.
Lopidea robiniae, 37.
Loricera pilicornis, 34.
 Lycaenidae, 94.
 Lycosidae, 89.
 Lygaeoidea, 35.
Lygocoris caryae, 36.
Lygocoris geneseeensis, 36.
Lygocoris sp., 36.
Lygus lineolaris, 31, 35, 36, 39-41.

- Lymantria dispar*, 93, 135, 143-148.
 Lymantriidae, 93, 131, 135, 143-148.
Macropsis virescens, 168.
Macropsis viridis, 168.
Macrurocampa marthesia, 154.
Malacosoma americanum, 72, 133.
Malacosoma californicum pluviale, 133.
Malacosoma disstria, 123.
 Mallophaga, 94, 95.
Mallota bautias, 80, 81.
Mallota posticata, 80, 81.
 Mantispidae, 95.
Matsumuraiella cotermina, 123.
 Mayflies, 91, 177.
 Mecoptera, 95.
Megalocerosa recticornis, 86.
 Megaloptera, 95.
Melanoplus stonei, 96.
 Mesopsocidae, 125.
Mesopsocus unipunctatus, 125.
Metaseiulus occidentalis, 25.
Metyllophorus novascotiae, 125.
Miagrammopes, 81.
Miagrammopes bambusicola, 62.
Miagrammopes corticeus, 63.
Miagrammopes thwaitesi, 63.
Miagrammopsidis, 61.
Microctonus aethiopoidea, 127-130.
Microphylellus modestus, 37.
 Milesiinae, 79.
 Millipedes, 95.
 Miltogrammini, 168.
Mimesa basirufa, 167, 168.
Mimesa cressonit, 167, 168.
Mimesa lutaria, 167-169.
 Miridae, 31, 35-42.
 Mirinae, 35-37, 39-41.
 Mites, 17-32, 35, 89.
Monarthrum mali, 47, 50-54.
Monarthrum fasciatum, 47, 50-54.
 Mosquitoes, 33, 57, 59, 73-77, 90, 149.
Mutilla mexicana, 61.
 Murielidae, 182.
 Murielid beetle, 182.
Murielidius sp., 182.
 Myopsocidae, 126.
 Myriapoda, 95.
Nadata gibbosa, 133.
Necrotaphis bakeri, 35.
Nemopogon graneilla, 182.
 Nematocera, 90.
Necolytus acuminatus, 47-54.
Nerice bidentata, 134.
 Neuroptera, 95, 171-176.
Nigrionia serriicornis, 95.
 Noctuidae, 39, 94, 131.
 Northern house mosquito, 73.
 Northern widow spider, 89.
Notodonta scitipennis, 134.
Notodonta simplicaria, 134.
 Notodontidae, 131, 133-135.
Notolophus plagiata, 135.
 Nymphalidae, 93, 94.
 Nympulidae, 57.
 Oak lace bug, 35.
Oarisma powesheik, 93.
Oelocletes, 92.
Otonoba otonaria, 64.
 Odonata, 88, 95, 96.
Odontoidea elegans, 133.
Oeneis jutta ascerta, 68.
Oeneis macounii, 94.
Olene atomaria parallela, 135.
Olene pini, 135.
Olene vagans willingi, 135.
Olethreutes daeckiana, 5.
 Olethreutidae, 31.
Oligocentria lignicolor, 135.
Oligocentria semirufescens, 135.
Oligonychus bicolor, 35.
Omophron americanum, 34.
Omophron tessellatum, 34.
Oncopsis flavicollis, 168.
Oncopsis rufusculus, 168.
Oncopsis sorbrius, 168.
Oncopsis variabilis, 167, 168.
 Opiliones, 89.
Oreta rosea, 132.
Orgyia antiqua nova, 135.
Orgyia definita, 135.
Orgyia leucostigma intermedia, 135.
Orinomana lampra, 63.
Orinomana mcna, 63.
Orinomana bituberculata, 63.
Orinomus lamprus, 63.
Orithyia luteola, 64.
Orithyia williamsii, 64.
 Orthoptera, 88, 96, 97.
 Orthotylinae, 37.
Orthotylus modestus, 37.
Orthotylus ornatus, 37.
Orthotylus romus, 37.
Fachysphinx modesta, 68.
Panonychus ulmi, 17, 35.
 Papilionoidea, 93.
 Parandrinae, 89.
Paratanytarsus parthenogeneticus, 177-181.
Pardosa, 89.
Pasimachus elongatus, 88.
 Pea aphid, 39.
 Pentatomidae, 43-46.
 Pentatomoidea, 35, 43-46, 91.
Penthina fullerae, 5.
Peridea angulosa, 133.
Peridea basitriens, 133.
Peridea ferruginea, 133.
 Peripsocidae, 125.
Peripsocus alboquittatus, 125.
Peripsocus madidus, 125.
Peripsocus quadri-fasciatus, 125.
Peripsocus sp. (near *alboquittatus*), 125.
Perithous, 93.
Petrunkevitchia pusilla, 61.
Petrunkevitchia venusta, 61.
 Phalangida, 39, 89.
Phalangium opilio, 39.
 Phasmatoptera, 96.
Pheosia rimosa, 133.
Philaenus obseus, 92.
 Philanthidae, 92.
 Philanthus, 92.
Phillyra mammeata, 63, 64.
Phillyra riparia, 64.
Philoponella arizonica, 65.

Philoponella bella, 66.
Philoponella collina, 66.
Philoponella divisa, 65.
Philoponella fasciata, 66.
Philoponella oweni, 65.
Philoponella para, 66.
Philoponella republicana, 61, 65.
Philoponella semiplumosa, 61, 65.
Philoponella signatella, 65.
Philoponella subvittata, 65.
Philoponella tingena, 61, 65.
Philoponella vicina, 65.
Philoponella vittata, 65.
Philoponus pteropus, 63.
Phorodon humuli, 35.
 Phylinae, 35, 37, 39-41.
Phylloidesma americana, 132, 133.
 Phyllophaga, 89.
Phylonorycter blancardella, 51.
Phytocoris americanus, 36.
Phytocoris confluens, 36.
Phytocoris conspurcatus, 36.
Phytocoris erectus, 36.
Phytocoris fenestratus, 36.
Phytocoris intermedius, 36.
Phytocoris minutulus, 36.
Phytocoris penipectus, 36.
Phytocoris puella, 36.
Phytocoris salicis, 36.
Phytocoris tibialis, 36.
 Phytoseiidae, 17-32.
 Pieridae, 93, 94.
Pieris rapae, 93.
Pieris virginiana, 94.
Pilophorus crassipes, 37.
Plagiognathus albus, 37.
Plagiognathus carneolus, 37.
Plagiognathus dispar, 37.
Plagiognathus guttulatus, 38.
Plagiognathus nigronitens, 38.
Plagiognathus politus, 35, 38, 40, 41.
Platynus decentis, 34.
Pleuroprucha insularia, 39.
Polymerus basalis, 36.
 Polypsocidae, 123.
Polypsocus corruptus, 123.
Polyxenus, 95.
 Pompilidae, 92.
Ponella lactescens, 65.
 Poplar sphinx, 68.
 Potato leafhopper, 39.
Prepops proterculus, 36.
 Prioninae, 89.
 Protura, 96.
Psallus strobilicola, 38.
Pselaphognatha, 95.
Pseudatomoscelis seriatus, 38.
Pseudoptiphthorus minutissimus, 47, 49-54.
 Pseudoscorpions, 89.
 Pseudoscorpionida, 89.
Pseudothyatira cymatophoroides, 132.
Pseudoxenus scutellatus, 37.
 Psocidae, 125, 126.
 Psocoptera, 123-126.
Psocus leidy, 125.
Psorophora columbiana, 76.
Psorophora horrida, 33.
Psorophora mathesoni, 33.
Pterostichus luctuosus, 34.
Pterostichus mutus, 34.
Pterostichus patruelis, 34.
 Ptinidae, 182.
Ptinus clavipes, 182.
Ptycta polluta, 125.
 Pyralidae, 57-60, 137, 139-141.
 Pyraustinae, 57-60.
Ranguma, 61.
 Red-humped appleworm, 135.
 Red-humped oakworm, 134.
 Red pine cone beetle, 183, 184.
 Reduvioidae, 35.
Reuterella helvinaacula, 125.
Reuterocopus ornatus, 35, 36, 40, 41.
Rhagoletis pomonella, 31.
Rhingia nasica, 82.
Rhinocapsus rubricans, 38.
 Rhopalocera, 93, 94.
Ropalopus sanguinicollis, 187.
 Rusty tussock moth, 135.
 Saddled prominent, 134.
Saga pedo, 96.
 Saginae, 96.
 Saldidae, 91.
 Salticidae, 89.
 Saratoga spittlebug, 110, 113, 114.
 Sarcophagidae, 168.
Saroaethes fulminans, 47-49, 52-54.
 Saturniidae, 67-71.
 Satyridae, 68, 93.
 Scales, 35.
 Scaritini, 89.
Schizura apicalis, 134.
Schizura badia, 134.
Schizura concinna, 135.
Schizura ipomoeae, 134.
Schizura leptinoides, 135.
Schizura unicomis, 134.
Sciaphila hebesana, 5.
 Scolopendrellidae, 95.
 Scolytidae, 47-55.
 Scutelleroidea, 91.
Sericomyia chrysotoxoides, 81.
Sericomyia militaris, 81.
Sericophanes heidemanni, 37.
Sericoris vetulana, 8.
 Shore bugs, 91.
Siderea nubilana, 7.
 Simuliidae, 90.
 Siphonaptera, 97.
Stratoba referens, 62.
Stratoba siva, 62.
Sisyra vicaria, 171-174.
 Sisyridae, 171-176.
Sitona cylindricollis, 127.
Stenomotus tenetrosus, 38.
 Skippers, 94.
Slaterocoris atritibialis, 37.
Slaterocoris stygius, 37.
 Sminthuridae, 115-122.
Sminthurus banksi, 119.
Sminthurus butcheri, 119.
Sminthurus echinatus, 119.
Sminthurus fitchi, 119.

Sminthurus marginatus, 119.
Sminthurus mercenbergae, 115-122.
Sminthurus packardii, 119.
Somula decora, 81.
 Southern house mosquito, 73.
Spanagonicus albofasciatus, 38.
 Sphecidae, 167-169.
 Sphecinae, 92.
 Sphecoidea, 92.
Sphecomyia vittata, 81.
 SpHINGIDAE, 68, 94, 131.
Sphinx poecila, 68.
 Spider mites, 17.
 Spiders, 61-66, 88.
Spilomyia, 81, 82.
Spilomyia fusca, 81.
Spilomyia quadrifasciata, 81.
Spilota ocellana, 35.
 Spittlebugs, 92.
 Spondylinae, 89.
 Spotted Mediterranean cockroach, 96.
 Spotted tentiform leafminer, 31.
 Springtails, 90.
 Spruce budworm, 149-156.
 Staphylinidae, 90.
Stenodema trispinosa, 38.
Stenotus binotatus, 38.
 Stratiomyidae, 91.
 Steninae, 90.
Stenus, 90.
 Swallowtail butterflies, 93.
 Sweetclover weevil, 127.
Sybota abdominalis, 63.
Sybota mendozae, 63.
Sybota osornis, 63.
Sylvia abdominalis, 63.
Sylvia ater, 63.
Sylvia similis, 63.
Sylvia rubiginosa, 63.
Sylvia vittata, 63.
Symmerista albifrons, 134.
Symmerista carlicosta, 134.
Symmerista leucitys, 134.
 Symphyla, 95.
 Symphylidae, 95.
 Syrphidae, 79-85.
 Tabanidae, 90.
 Tarantula, 88.
 Tarnished plant bug, 31.
Taylorilygus pallidulus, 36.
Tennostoma, 81, 82.
Tennostoma alternans, 81.
Tennostoma balyras, 81.
Tennostoma barberi, 81.
Tennostoma obscurum, 81.
Tennostoma venustum, 81.
Tennostoma vespiforme, 81.
Tenebrio obscurus, 182.
 Tenebrionidae, 90, 182.
 Termites, 93.
 Terrapin scale, 35.
Tetranychus urticae, 17, 22, 23, 25, 26.
 Tetranychosida, 89.
 Tettigoniidae, 96.
 Thomisidae, 88.
 Thread-waisted wasps, 92.
Thyanta calceata, 43-46.
 Thyatiridae, 131, 132.
 Thysanoptera, 96, 97.
 Tiger beetles, 89, 90.
 Tineidae, 182.
 Tingidae, 35.
 Tipulidae, 91.
Tolype laricis, 132.
 Tortricidae, 5-12, 149-165.
Trachysida aspera, 187.
Trachysida brevifrons, 187.
Trialeurodes vaporariorum, 29.
Trichadenotecnum majus, 125, 126.
Trichadenotecnum strossonae, 125.
Trichadenotecnum unum, 126.
 Trichoptera, 97.
 Triclistus, 92.
Trigonotylus coelestialium, 37.
Trigonotylus doddi, 37.
Trimerotropis huroniana, 96.
Trimerotropis maritima interior, 96.
Tropidosteptes rufusculus, 37.
 Trypetidae, 31.
 Twolined chestnut borer, 47-55.
Typocerus decemata, 187.
 Uloboridae, 61-66
Uloborus abdominalis, 63.
Uloborus absirusus, 65.
Uloborus albiveneus, 63.
Uloborus aergrotus, 64.
Uloborus amazonicus, 65.
Uloborus americanus, 64.
Uloborus arizonicus, 65.
Uloborus ater, 61.
Uloborus bituberculatus, 63.
Uloborus bucki, 64.
Uloborus californicus, 63.
Uloborus campestratus, 61, 63.
Uloborus cinereus, 63.
Uloborus collinus, 66.
Uloborus crepediniae, 63.
Uloborus cuminanensis, 65.
Uloborus diversus, 63.
Uloborus domesticus, 64.
Uloborus eberhardi, 64.
Uloborus elongatus, 64.
Uloborus fasciatus, 66.
Uloborus formosus, 61.
Uloborus glomosus, 64.
Uloborus lactescens, 65.
Uloborus latreillei, 64.
Uloborus luteolus, 64.
Uloborus minutus, 61.
Uloborus maniculatus, 64.
Uloborus metae, 64.
Uloborus mundior, 65.
Uloborus octonarius, 64.
Uloborus oweni, 65.
Uloborus penicillatus, 64.
Uloborus peruanus, 64.
Uloborus peruvianus, 64.
Uloborus plumipedatus, 64.
Uloborus plumipes, 64.
Uloborus republicana, 65.
Uloborus saphes, 63.
Uloborus segregatus, 61, 64.
Uloborus semiargenteus, 65.
Uloborus semiplumosus, 65.

Uloborus servulus, 65.
Uloborus signatellus, 65.
Uloborus signatus, 65.
Uloborus spermar, 65.
Uloborus tetramaculatus, 61.
Uloborus tingnes, 65.
Uloborus trilineatus, 61, 64.
Uloborus utahensis, 63.
Uloborus variegatus, 65.
Uloborus vicinus, 65.
Uloborus vittatus, 65.
Uloborus walckenaerius, 65.
Uloborus zosis, 64.
Veleda lineata, 63.
Vespidae, 92.
Vespoidea, 79, 80, 82, 92.
Vespula, 92.
Volucella bombylans, 80, 81.
Wasps, 79, 80, 82, 92, 167-169, 172.
Waterbugs, 91.
Webbing coneworm, 183, 184.
Weevils, 39.
White-marked tussock moth, 135.
Williamsonia fletcheri, 95.
Wolf spiders, 89.
Woolly apple aphid, 35.
Yellowjacket, 92.
Xanthorhoe, 57, 58.
Xyloterinus politus, 47, 50-54.
Xylotrechus colonus, 47-54.
Yellow-necked caterpillar, 133.
Zosis caraibe, 64.
Zosis geniculatus, 61, 64.
Zosis mundior, 65.
Zosis peruvianus, 64.