

*THE  
GREAT LAKES  
ENTOMOLOGIST*


Volume 26 Index  
1993

Contents

Author Index.....	1
Dates of Publication.....	4
Arthropod Species Index.....	5

*PUBLISHED BY*

THE MICHIGAN  
ENTOMOLOGICAL  
SOCIETY



## Volume 26 Author Index

- Andrle, Robert F. (see Gall, W. K.), 319-320
- Araya, Jaime E. (see Wellso, S.G.), 71-76
- Armbrust, Edward J. (see Solter, L.F., et al.), 151-154
- Bach, Catherine E. (see Milanowski, D. J.), 253-261
- Band, Henretta T. - Drosophilidae (Diptera) collected in spring in Michigan, 237-240
- Biddinger, D. J., W. Roelofs and A. J. Howitt - The development of a sex pheromone lure for the American plum borer, *Euzophera semifuneralis* (Lepidoptera: Pyralidae), a major pest of cherry in Michigan, 311-317
- Bock, Cornelia (see Moore, T.E., et al.), 199-221
- Bouseman, John K. - A record of *Nomada* (*Nomada*) *colorata* from Illinois with a suggested host species (Hymenoptera: Apoidea), 251
- Caprio, Michael A. and Edward J. Grafius - Movement of adult Colorado potato beetles, *Leptinotarsa decemlineata* (Coleoptera: Chrysomelidae), in response to isolated potato plots, 223-231
- Chilcutt, Charles F. and David P. Cowan - Methods for artificial rearing of solitary eumenid wasps (Hymenoptera: Vespidae: Eumeninae), 15-19
- Cowan, David P. (see Chilcutt, C.F.), 15-19
- Donahue, Julian P. - New distribution records of the tiger-moth genus *Phragmatobia* in North America (Lepidoptera: Arctiidae: Arctiinae), 21-30
- Donahue, Julian P. - The distribution of three broadly sympatric species of *Symmerista* moths (Lepidoptera: Notodontidae) in the Great Lakes and midwest regions of the United States, 161-171
- Fricke, John M. - Aphid prey of *Passaloecus cuspidatus* (Hymenoptera: Sphecidae), 31-34
- Gall, Wayne K. and Robert F. Andrle - Significant range extension of *Leptotes marina* (Lepidoptera: Lycaenidae) into New York State, 319-320
- Grafius, Edward J. (see Caprio, M.A.), 223-231
- Hart, Elwood, R. (see North, R. C., et al.), 113-119
- Henry, T. J. (see McPherson, J.E., et al.), 97-106
- Hesler, Louis S. - New records of leaf-feeding for adult *Diabrotica barberi* (Coleoptera: Chrysomelidae), 241-243
- Hilsenhoff, William L. - Dytiscidae and Noteridae of Wisconsin (Coleoptera), III. Distribution, habitat, life cycle, and identification of species of Colymbetinae, except Agabini, 121-136
- Hilsenhoff, William L. - Dytiscidae and Noteridae of Wisconsin (Coleoptera), II. Distribution, habitat, life cycle, and identification of species of Dytiscinae, 35-53
- Hilsenhoff, William L. - Dytiscidae and Noteridae of Wisconsin (Coleoptera), IV. Distribution, habitat, life cycle, and identification of species of Agabini (Colymbetinae), 173-197

- Hilsenhoff, William L. - Dytiscidae and Noteridae of Wisconsin (Coleoptera). V. Distribution, habitat, life cycle, and identification of species of Hydroporinae, except *Hydroporus Clairville* sensu lato, 275-295
- Hoffman, George D. and Kenneth F. Raffa - *Microctonus pachylobii* (Hymenoptera: Braconidae): New host record from *Hylobius radialis* (Coleoptera: Curculionidae), and additional notes on its biology, 55-59
- Howitt, A. J. (see Biddinger, D. J., et al.), 311-317
- Huber, Franz (see Moore, T.E., et al.), 199-221
- Husband, Robert W. - A new *Eutarsopolipus* (Acari: Podapolipidae); parasite of *Harpalus herbivagus* (Coleoptera: Carabidae) from Michigan, 1-14
- Kannowski, Paul B. (see Wheeler, G.C., et al), 297-310
- Klein, Ulla (see Moore, T.E., et al.), 199-221
- Kurczewski, Frank E. - New prey families for *Crabro advena* (Hymenoptera: Sphecidae), 77-78
- Maddox, Joseph W. (see Solter, L.F., et al.), 151-154
- McCullough, Deborah G., Paul D. Swedenborg, and Herbert M. Kulman - Effects of Nitrogen fertilization on monoterpenes of jack pine seedlings and weight gain of jack pine budworm (Lepidoptera: Tortricidae), 137-149
- McPherson, J. E. (see Munyaneza, J.), 263-274
- McPherson, J. E. and Steven J. Taylor - Distinguishing nymphal instars of *Mesovelia mulsanti* (Heteroptera: Mesoveliidae), 233-236
- McPherson, J. E., B. C. Weber, and T. J. Henry - Seasonal flight patterns of Miridae (Hemiptera) in a southern Illinois black walnut plantation, 97-106
- Micher, Kelly M. and C. Lee Rockett - Field investigations on the American dog tick, *Dermacentor variabilis*, in northwest Ohio (Acari: Ixodidae), 61-70
- Milanowski, Dennis J. and Catherine E. Bach - Between-site variation in suitability of *Salix cordata* as a host for *Altica subplicata* (Coleoptera: Chrysomelidae), 253-261
- MingXian, Li (see North, R. C., et al.) 113-119
- Moore, Thomas E., Franz Huber, Theo Weber, Ulla Klein, and Cornelia Bock - Interaction between visual and phonotactic orientation during flight in *Magicicada cassini* (Homoptera: Cicadidae), 199-221
- Munyaneza, Joseph and J. E. McPherson - Comparative study of life histories, laboratory rearing, and immature stages of *Euschistus servus* and *Euschistus variolarius* (Hemiptera: Pentatomidae), 263-274
- North, Robert C., Elwood R. Hart, and Li MingXian - Solvent deactivation of mimosa webworm larval webbing (Lepidoptera: Plutellidae), 113-119
- Raffa, K. F. (see Rieske, L. K.), 155-160
- Raffa, Kenneth F. (see Hoffman, G.D.), 55-59
- Rieske, L. K. and K. F. Raffa - Use of ethanol- and turpentine-baited flight traps to monitor *Pissodes* weevils (Coleoptera: Curculionidae) in Christmas tree plantations, 155-160

- Roberts, Stephen J. (see Solter, L.F., et al.), 151-154
- Rockett, C. Lee (see Micher, K.M.), 61-70
- Roelofs, W. (see Biddinger, D. J., et al.), 311-317
- Scott, Virginia - Use of communal nest entrances by *Osmia simillima* (Hymenoptera: Megachilidae), 79-80
- Scriber, J. Mark - Absence of behavioral induction in oviposition preference of *Papilio glaucus* (Lepidoptera: Papilionidae), 81-95
- Solter, Lellen F., Stephen J. Roberts, Joseph V. Maddox and Edward J. Armbrust - A new microsporidium in alfalfa weevil populations: distribution and characterization, 151-154
- Strickler, Jeffrey D. and Edward D. Walker - Seasonal abundance and species diversity of adult Tabanidae (Diptera) at Lake Lansing Park-North, Michigan, 107-112
- Taylor, Steven J. (see McPherson, J. E.), 233-236
- Tennessen, K. J. - New distribution records for *Ophiogomphus howei* (Odonata: Gomphidae), 245-249
- Walker, E.D. (see Strickler, J.D.), 107-112
- Waltz, R. D. - Field recognition of adult *Acentrella* and *Heterocloeon* (Ephemeroptera: Baetidae), 321-323
- Weber, B. C. (see McPherson, J.E., et al.), 97-106
- Weber, Theo (see Moore, T.E., et al.), 199-221
- Wellso, Stanley G. and Jaime E. Araya - Resistance stability of the secondary tiller of 'Caldwell' wheat after the primary culm was infested with virulent Hessian fly (Diptera: Cecidomyiidae) larvae, 71-76
- Wheeler, George C., Jeanette N. Wheeler and Paul B. Kannotski - Checklist of the ants of Michigan (Hymenoptera: Formicidae), 297-310
- Wheeler, Jeanette N. (see Wheeler, G.C., et al), 297-310

## Dates of Publication

Vol. 26, No. 1 .....	21 June 1993
Vol. 26, No. 2 .....	28 October 1993
Vol. 26, No. 3 .....	8 December 1993

## Volume 26 Arthropod Species Index

- Acanthomyops claviger* (Roger), 297-310  
    *interjectus* (Mayr), 297-310  
    *latipes* (Walsh), 297-310  
    *murphyi* (Forel), 297-310  
    *plumopilosus* (Buren), 297-310  
    *subglaber* (Emery), 297-310  
Acari, 1-14, 61-70, 101  
*Acentrella* sp., 321-323  
*Acilius f. fraternus* (Harris), 38  
    *mediatus* Say, 38  
    *semisulcatus* Aubé, 38  
    spp., 36-39  
    *sylvanus* Hilsenhoff, 39  
*Acyrtosiphon pisum* (Harris), 103  
*Adelphocoris lineolatus* (Goeze), 99, 103  
Agabini, 173-197  
*Agabus aeruginosus* Aubé, 174, 180  
    *ajax* Fall, 174, 180  
    *ambiguus* (Say), 174, 180  
    *amplus* Fall, 174, 183  
    *antennatus* Leech, 174, 181  
    *anthracinus* Mannerheim, 174, 181  
    *bicolor* (Kirby), 174, 182  
    *bifarius* (Kirby), 174, 182  
    *canadensis* Fall, 174, 183  
    *confinis* (Gyllenhal), 174, 183  
    *confusus* (Blatchley), 174, 183  
    *discolor* (Harris), 174, 183  
    *disintegratus* (Crotch), 174, 184  
    *erichsoni* Gemminger & Harold, 174, 184  
    *falli* (Zimmermann), 174, 185  
    *fuscipennis* (Paykull), 174, 185  
    *gagates* Aubé, 174, 185  
    *immaturus* Larson, 174, 186  
    *inscriptus* (Crotch), 174, 186  
    *kenaiensis* Fall, 174, 190  
    *leptapsis* (LeConte), 174, 187  
    *nigroaeneus* Erichson, 174, 184  
    *obtusatus* (Say), 174, 187  
    *ontarionis* Fall, 174, 185  
    *opacus* Aubé, 174, 187  
    *phaeopterus* (Kirby), 174, 187  
    *pseudoconfertus* Wallis, 174, 187  
    *punctulatus* Aubé, 174, 188  
    *semipunctatus* (Kirby), 174, 188  
    *semivittatus* LeConte, 174, 189  
    *seriatus* (Say), 174, 189  
    *sharpi* Fall, 174, 185  
    *subfuscatus* Sharp, 174, 189  
    *thomsoni* (Sahlberg), 174, 190  
    *wasastjernae* (Sahlberg), 174, 190  
*Agnocoris pulverulentus* (Uhler), 99  
*Agromyza frontella* (Rondani), 103  
Agromyzidae, 103  
Aleyrodidae, 101  
*Altica subplicata* LeConte, 253-261  
*Amblyopone pallipes* (Haldeman), 297-310  
*Amblytylus nasutus* (Kirschbaum), 100  
*Amyeloides transitella* (Walker), 113  
*Anagasta kuehniella* Zeller, 113  
*Ancistrocerus antilope* (Panzer), 16-19  
*Andrena violae* Robertson, 251  
Andrenidae, 251  
Anthophoridae, 251  
*Aphaenogaster fulva* Roger, 297-310  
    *mariae* Forel, 297-310  
    *rudis* (Emery), 297-310  
    *tennesseensis* (Mayr), 297-310  
    *treatae* Forel, 297-310  
Aphididae, 31-34, 101, 103  
*Aphidius ervi pulcher* Baker, 103  
    *smithi* Sharma & Subba Rao, 103  
*Aphis gossypii* Glover, 101  
Apidae, 218  
*Apis mellifera* (L.), 218  
*Apobaetis* sp., 322  
Arctiidae, 21-30  
*Atractotomus miniatus* (Knight), 100  
    prob. *miniatus* (Knight), 100  
Baetidae, 321-323  
*Baetodes* sp., 322  
*Basilarchia archippus* (Cramer), 319  
*Brachymyrmex depilis* Emery, 297-310  
Braconidae, 55-59

- Callibaetis* sp., 319  
*Calliphora* spp., 218  
 Calliphoridae, 218  
*Camponotus americanus* Mayr, 297-310  
     *caryae* (Fitch), 297-310  
     *ferrugineus* (Fab.), 297-310  
     *herculeanus* (L.), 297-310  
     *nearcticus* Emery, 297-310  
     *novaeboracensis* (Fitch), 297-310  
     *pennsylvanicus* (DeGeer), 297-310  
     *subbarbatus* Emery, 297-310  
 Carabidae, 1-4  
*Cataglyphis albicans* (Roger), 218  
     *bicolor* Fabr., 218  
     *fortis* (Forel), 218  
 Cecidomyiidae, 71-76  
*Celastrina ladon* (Cramer), 319  
*Celina hubbelli* Young, 276, 277  
*Ceratocapsus digitulus* Knight, 100  
     *fuscinus* Knight, 100  
     *modestus* (Uhler), 100  
     *pumilus* (Uhler), 100  
     *setosus* Reuter, 100  
     *uniformis* Knight, 100  
*Chalicodoma pluto* (Smith), 80  
*Chlaenius aestivus* Say, 1  
     *pennsylvanicus* Say, 1  
*Chlamydatus associatus* (Uhler), 100  
*Choristoneura fumiferana*  
     (Clemens), 15-19, 144  
     *occidentalis* Freeman, 144  
     *pinus pinus* Freeman, 137-149  
 Chrysomelidae, 103, 223-231, 241-243, 253-261  
*Chrysops aberrans* Philip, 108-109  
     *callidus* O.S., 108-109  
     *celatus* Pechuman, 108-109  
     *cincticornis* Walker, 108-109  
     *frigidus* O.S., 108-109  
     *indus* O.S., 108-109  
     *macquarti* Philip, 108-109  
     *montanus* O.S., 108-109  
     *niger* Macquart, 108-109  
     *pudicus* O.S., 108-109  
     *sackeni* Hine, 108-109  
     *striatus* O.S., 108-109  
     *univittatus* Macquart, 108-109  
     *vittatus* Wied., 108-109  
*Chymomyza amoena* (Loew), 237-240  
     *costata* Zett., 237  
 Cicadellidae, 103  
 Cicadidae, 199-221  
*Cinaria* sp., 31-34  
*Clivinia impressifrons* LeConte, 1  
*Cloeon* sp., 319  
 Coleoptera, 1-4, 35-53, 55-59, 103, 121-136 151-154, 155-160, 173-197, 223-231, 241-243, 253-261, 275-295  
*Colias eurytheme* Boisduval, 319  
*Colymbetes e. exaratus* LeConte, 122, 124  
     *paykulli* Erichson, 122, 124  
     *sculptilis* Harris, 122, 124  
*Condostylus siphon* (Say), 77  
*Conomyrma grandula* (Forel), 297-310  
*Copelatus c. chevrolati* Aubé, 122, 124  
     *glyphicus* (Say), 122, 125  
*Coptotomus lenticus* Hilsenhoff, 122, 128  
     *longulus* LeConte, 122, 128  
     *loticus* Hilsenhoff, 122, 129  
*Corythuca arcuata* (Say), 101  
     *cydoniae* (Fitch), 101  
*Crabro advena* Smith, 77-78  
     *argusinus* Bohart, 77  
     *cribellifer* (Packard), 77  
     *monticola* (Packard), 77  
*Crematogaster cerasi* (Fitch), 297-310  
     *lineolata* (Say), 297-310  
*Criocoris saliens* (Reuter), 100  
*Cryptotympana atrata* Fabr., 219  
 Curculionidae, 55-59, 103, 151-154, 155-160  
*Cybister fimbriolatus* (Say), 39  
*Cydia pomonella* (L.), 101  
*Cyrtodiopsis whitei* (Curran), 218  
*Cystosoma saundersii* (Westwood), 217  
 Danaidae, 319  
*Danaus plexippus* (L.), 319  
*Delia coarctata* (Fällen), 71  
*Deraeocoris grandis* (Uhler), 99

- nebulosus* (Uhler), 99  
*poecilus* McAtee, 99  
*quercicola* Knight, 99  
*sayi* (Reuter), 99  
*Dermacentor variabilis* (Say), 61-70  
Dermaptera, 17-18  
*Desmopachria convexa* Aubé, 276, 277  
*Diabrotica barberi* Smith & Lawrence, 241-243  
*Diaphnocoris provancheri* (Burque), 100  
Diopsidae, 218  
Diptera, 71-76, 77-78, 103, 107-112, 218, 219, 237-240  
Dolichoderinae, 304-305  
*Dolichoderus mariae* Forel, 297-310  
*plagiatus* (Mayr), 297-310  
*pustulatus* Mayr, 297-310  
*taschenbergi* (Mayr), 297-310  
Dolichopodidae, 77  
*Dorsipes evarthrusi* Husband & Rack, 1  
*Drosophila affinis* Sturtevant, 237 - 240  
*algonquin* Sturtevant & Dobzhansky, 237-240  
*ambigua* Pomini, 239  
*athabasca* Sturtevant & Dobzhansky, 237-240  
*busckii* Coq., 239  
*chagrinesis* Stalker & Spencer, 238-240  
*colorata* Walker, 237-240  
*falleni* Wheeler, 238-240  
*hydei* Sturtevant, 239  
*melanogaster* Meigen, 239  
*obscura* Fallen, 239  
*palustris* Spencer, 238-240  
*paramelanica* Patterson, 238-240  
*quinaria* Loew, 238-240  
*recens* Walker, 238-240  
*robusta* Sturtevant, 237-240  
*simulans* Sturtevant, 239  
*subobscura* Collin, 239  
*tripunctata* Loew, 238-240  
Drosophilidae, 237-240  
Dytiscidae, 35-53, 121-136, 173-197, 275-295  
*Dytiscus alaskanus* Balfour-Browne, 36, 41  
*carolinus* Aubé, 36, 41  
*circumcinctus* Ahrens, 42  
*cordieri* Aubé, 36, 42  
*dauricus* Gebler, 36, 42  
*fasciventris* Say, 36, 43  
*harrisii* Kirby, 36, 43  
*hybridus* Aubé, 36, 43  
*verticalis* Say, 36, 44  
*Empoasca fabae* (Harris), 103  
Ephemeroptera, 321-323  
*Eriosoma lanigerum* (Hausmann), 101  
*Euceraphis* sp., 31-34  
Eumeninae, 15-19  
*Euodynerus foraminatus* (Saussure), 16-19  
*hidalgo* (Saussure), 16-19  
*planitarsus* (Bohart), 16-19  
*Euschistus servus* (Say), 263-274  
*variolarius* (Beauvois), 264-274  
*Eutarsopolipus acanthomus* Regenfuss, 12  
*alarum* Regenfuss, 12  
*assimilis* Regenfuss, 12  
*crassisetus* Regenfuss, 12  
*desani* Regenfuss, 13  
*elongatus* Regenfuss, 1-14  
*inermis* Regenfuss, 1, 13  
*latus* Regenfuss, 1  
*porteri* Husband, n. sp., 1-14  
*pseudopus* Regenfuss, 1-14  
*pterostichi* Regenfuss, 13  
*regenfussi* Husband & Swihart, 1-14  
*Euzophera ostricollera* Hulst, 314  
*semifuneralis* (Walker), 311-317  
*Evarthrus americanus* Dejean, 1  
*furtiva* LeConte, 1  
*Fidicina mannifera* (Fabr.), 217  
*Forficula* sp., 17-18  
*Formica argentea* Wheeler, 297-310  
*creightoni* Buren, 297-310  
*dakotensis* Emery, 297-310  
*exsectoides* Forel, 297-310  
*fossiceps* Buren, 297-310  
*fusca* L., 297-310  
*glacialis* Wheeler, 297-310



- gynocrates* Snelling & Buren, 297-310  
*hewitti* Wheeler, 297-310  
*impexa* Wheeler, 297-310  
*integra* Nylander, 297-310  
*lasioides* Emery, 297-310  
*neofufibarbis* Emery, 297-310  
*neogagates* Emery, 297-310  
*nepticula* Wheeler, 297-310  
*obscuripes* Forel, 297-310  
*obscuriventris* Mayr, 297-310  
*pallidiflava nitidiventris* Emery, 297-310  
*pergandei* Emery, 297-310  
*podzolica* Francoeur, 297-310  
*prociliata* Kennedy & Dennis, 297-310  
*querquetulana* Kennedy & Dennis, 297-310  
*rubicunda* Emery, 297-310  
*shaufussi* Mayr, 297-310  
*sp.*, 297-310  
*subintegra* Emery, 297-310  
*subnuda* Emery, 297-310  
*subsericea* Say, 297-310  
*talbotae* Wilson, 297-310  
*ulkei* Emery, 297-310  
*vinculans* Wheeler, 297-310  
*whymperi adamsi* Wheeler, 297-310  
Formicidae, 218, 297-310  
Formicinae, 305-308  
*Formicoxenus hirticornis* (Emery), 297-310  
*provancheri* (Emery), 297-310  
*Fulvius imbecilis* (Say), 99  
*slateri* Wheeler, 99  
*Gastropacha alascensis* Packard, 25  
Gomphidae, 245-249  
*Graphoderus fascicollis* (Harris), 36, 45  
*liberus* (Say), 36, 47  
*manitobensis* Wallis, 36, 47  
*occidentalis* Horn, 36, 48  
*perplexus* Sharp, 36, 48  
Gryllidae, 218  
*Gryllus bimaculatus* DeGeer, 218  
*Halticus bractatus* (Say), 100  
*Harpagoxenus americanus* (Emery), 297-310  
*canadensis* M.R. Smith, 297-310  
*Harpalus herbivagus* Say, 1-14  
Hemiptera, 97-106, 233-236, 263-274  
*Heterocloeon* sp., 321-323  
*Homadaula anisocentra* Meyrick, 113-119  
Homoptera, 31-34, 101, 103, 199-221  
*Hyaliodes harti* Knight, 99  
*vitripennis* (Say)  
*Hybomitra epistates* O.S., 108-109  
*frontalis* (Walker), 108-109  
*hinei* (Johnson), 108-109  
*illota* (O.S.), 108-109  
*lasiophthalma* (Macquart), 108-109  
*minuscula* (Hine), 108-109  
*pechumani* Teskey & Thomas, 108-109  
*sodalis* (Will.), 108-109  
*zonalis* (Kirby), 108-109  
*Hydaticus aruspex* Clark, 36, 50  
*modestus* Sharp, 36, 50  
*piceus* LeConte, 36, 50  
*Hydrovatus p. pustulatus* Melsh., 276, 278  
*Hygrotus acaroides* (LeConte), 276, 281  
*compar* (Fall), 276, 281  
*dissimilis* Gemminger & Harold, 276, 281  
*falli* (Wallis), 276, 282  
*farctus* (LeConte), 276, 282  
*impressopunctatus* (Schaller), 276, 282  
*laccophilinus* (LeConte), 276, 283  
*marklini* (Gyllenhal), 276, 283  
*nubilus* (LeConte), 276, 283  
*patruelis* (LeConte), 276, 284  
*picatus* (Kirby), 276, 284  
*sayi* J. Balfour-Browne, 276, 284  
*sellatus* (LeConte), 276, 285  
*suturalis* (LeConte), 276, 285  
*sylvanus* (Fall), 276, 285  
*turbidus* (LeConte), 276, 285  
*Hylobius pales* (Herbst), 55-59  
*radicis* Buchanan, 55-59  
*rhizophagus* Millers, Benjamin & Warner, 55-59  
*sp.*, 156-160

- Hymenoptera, 15-19, 31-34, 55-59,  
77-78, 79-80, 218, 251, 297-  
310
- Hypera postica* (Gyll.), 103, 151-154
- Hyphantria cunea* (Drury), 21
- Ilacora stalii* Reuter, 100
- Ilybius angustior* (Gyllenhal), 174,  
193
- biguttulus* (Germar), 174, 193
- confusus* Aubé, 174, 193
- discedens* Sharp, 174, 194
- fraterculus* LeConte, 174, 194
- ignarus* (LeConte), 174, 194
- incarinatus* Zimmermann, 174,  
195
- oblitus* Sharp, 174, 195
- picipes* (Kirby), 174, 195
- pleuriticus* LeConte, 174, 195
- subaeneus* Erichson, 174, 196
- Ixodidae, 61-70
- Keltonia tuckeri* (Poppius), 100
- Labiobaetis* sp., 321
- Laccornis conoideus* (LeConte), 276,  
286
- latens* (fall), 276, 287
- Lasius alienus* (Foerster), 297-310
- flavus* (Fab.), 297-310
- minutus* Emery, 297-310
- nearcticus* Wheeler, 297-310
- neoniger* Emery, 297-310
- pallitarsis* (Provancher), 297-310
- speculiventris* Emery, 297-310
- subumbratus* Viereck, 297-310
- umbratus* (Nylander), 297-310
- Lecanium nigrofasciatum* Pergande,  
101
- Lepidoptera, 15-19, 21-30, 81-95,  
113-119, 137-149, 161-171,  
311-317, 319-320
- Leptinotarsa decemlineata* (Say),  
103, 223-231
- Leptopterna dolabrata* (L.), 99
- Leptotes marina* (Reakirt), 319-320
- Leptothorax ambiguus* Emery, 297-  
310
- curvispinosus* Mayr, 297-310
- duloticus* Wesson, 297-310
- longispinosus* Roger, 297-310
- muscorum* (Nylander), 297-310
- schaumi* Roger, 297-310
- texanus* Wheeler, 297-310
- Liodesus affinis* (Say), 276, 288
- cantralli* (Young), 276, 288
- flavicollis* (LeConte), 276, 289
- fuscatus* (Crotch), 276, 289
- Lioporeus triangularis* (Fall), 276,  
290
- Lopidea confluenta* (Say), 100
- heidemanni* Knight, 100
- robiniae* (Uhler), 100
- Lycaenidae, 319-320
- Lygocoris caryae* (Knight), 99
- fagi* (Knight), 99
- geneseeensis* (Knight), 99
- hirticulus* (Van Duzee), 99
- omnivagus* (Knight), 99
- quercalbae* (Knight), 99
- Lygus lineolaris* (Palisot de  
Beauvois), 99
- plagiatus* Uhler, 99
- Macrolophus brevicornis* Knight, 99
- Macrosiphum euphorbiae* (Thomas),  
31-34
- Magicada cassini* (Fisher), 199-221
- septendecula* Alexander &  
Moore, 200
- septendecim* (L.), 200
- Matus bicarinatus* (Say), 122, 130
- ovatus ovatus* Leech, 122, 130
- Mayetiola destructor* (Say), 71-76
- Megachilidae, 79-80
- Megaloceroea recticornis* (Geoffroy),  
99
- Mesovelia mulsanti* White, 233-236
- Mesoveliidae, 233-236
- Microctonus pachylobii* Muesebeck,  
55-59
- Microphylellus modestus* Reuter,  
100
- Miridae, 97-106
- Monomorium minimum* (Buckley),  
297-310
- pharaonis* (L.), 297-310
- talbotae* DuBois, 297-310
- Musca domestica* L., 219
- Muscidae, 219
- Myrmecina americana* Emery, 297-  
310
- Myrmecinae, 302-304

- Myrmica alaskensis* Wheeler, 297-310  
     *americana* Weber, 297-310  
     *brevispinosa* Wheeler, 297-310  
     *detrinitinodis* Emery, 297-310  
     *fracticornis* Emery, 297-310  
     *incompleta* Provancher, 297-310  
     *lobifrons* Pergande, 297-310  
     *nearctica* Weber, 297-310  
     *pinetorum* Wheeler, 297-310  
     *punctiventris* Roger, 297-310  
*Myrmica* spp., 297-310  
*Myzus cerasi* (F.), 31-34  
     *monardae* (Davis), 31-34  
     sp., 31-34  
*Nearctaphis bakeri* (Cowen), 101  
*Nebrioporus rotundatus* (LeConte), 276, 291  
*Neocapsus leviscutatus* Knight, 99  
*Neoscutopterus angustus* (LeConte), 122, 131  
     *hornii* (Crotch), 122, 131  
*Neurocolpus nubilis* (Say), 99  
 Noctuidae, 145  
*Nomada colorata* Mitchell, 251  
 Noteridae, 35-53, 121-136, 275-295  
 Notodontidae, 161-171  
 Odonata, 245-249  
*Oligonychus bicolor* (Banks), 101  
*Ophiogomphus howei* Bromley, 245-249  
*Oreodytes scitulus*  
     *scitulus* (LeConte), 276, 290  
 Orthoptera, 218  
*Orthotylus juglandis* Henry, 100  
     *modestus* Van Duzee, 100  
*Osmia simillima* Smith, 79-80  
*Ovacarus clivinae* Stannard & Vaishampayan, 1  
     *peellei* Husband, 1  
*Ozodiceromya frontilis* (Cole), 77  
*Pachylobius picivorus* (Germar), 55-59  
*Panonychus ulmi* (Koch), 101  
*Papilio glaucus* L., 81-95  
 Papilionidae, 81-95  
*Paracloeodes* sp., 322  
*Paraproba capitata* (Van Duzee), 100  
*Paratrechina parvula* (Mayr), 297-310  
*Pasimachus elongatus* LeConte, 1  
*Passaloeus cuspidatus* Smith, 31-34  
 Pentatomidae, 263-274  
*Peritropis saldaeformis* Uhler, 99  
*Phalangium opilio* L., 103  
*Pheidole bicarinata* Mayr, 297-310  
*Phorodon humuli* (Schrank), 101  
*Phragmatobia assimilans* Walker, 21-30  
     *dallii* Packard, 25  
     *fuliginosa rubricosa* (Harris), 21-30  
     *lineata* Newman & Donahue, 21-30  
*Phytocoris albifacies* Knight, 99  
     *antennalis* Reuter, 99  
     *breviusculus* Reuter, 99  
     *canadensis* Van Duzee, 99  
     *eximius* Reuter, 99  
     *infuscatus* Reuter, 99  
     *neglectus* Knight, 99  
     *puella* Reuter, 99  
     *purvus* Knight, 99  
     *spicatus* Knight, 99  
     *tibialis* Reuter, 99  
 Pieridae, 319  
*Pieris rapae* (L.), 319  
*Pilophorus brunneus* Poppius, 100  
*Pissodes nemorensis* Germar, 155-160  
     *strobi* (Peck), 155-160  
*Plagiognathus blatchleyi* Reuter, 100  
     *gleditsiae* Knight, 100  
     *guttulosus* (Reuter), 100  
     n. sp., 100  
     *politus* Uhler, 100  
     *repletus* Knight, 100  
*Plesiodema sericeum* (Heidemann), 100  
*Pleuroprucha insulsaria* (Guenée), 103  
 Plutellidae, 113-119  
 Podapolipidae, 1-14  
*Polyergus breviceps* Emery, 297-310  
     *lucidus* Mayr, 297-310  
*Polymerus proximus* Knight, 99  
*Ponera pennsylvanica* Buckley, 297-310  
 Ponerinae, 302

- Potamonectes*, 290-292  
*Praon* sp., 103  
*Prenolepis imparis* (Say), 297-310  
*Prepops fraterculus* (Knight), 99  
*insitivus* (Say), 99  
*Proceratium silaceum* Roger, 297-310  
*Pseudatomoscelis seriatus* (Reuter), 100  
*Pseudocloeon* sp., 322  
*Pseudoxenus regalis* (Uhler), 100  
*Pycnoderes medius* Knight, 99  
Pyralidae, 311-317  
*Reuteria bifurcata* Knight, 100  
*Reuteroscopus ornatus* (Reuter), 100  
Rhagionidae, 77  
*Rhagoletis cingulata* (Loew), 77  
*Rhantus binotatus* (Harris), 122, 133  
*consimilis* Motschulsky, 122, 134  
*gutticollis* (Say), 122, 134  
*sericans* Sharp, 122, 134  
*sinuatus* (LeConte), 122, 134  
*suturellus* (Harris), 122, 135  
*wallisi* (Hatch), 122, 135  
*Salignus distinguendus* (Reuter), 99  
*Scathophaga stercoraria* Linn., 77  
Scathophagidae, 77  
*Semium hirtum* Reuter, 100  
*Sericophanes heidemanni* Poppius, 100  
*Sitobium avenae* F., 31-34  
*Sixeonotus areolatus* Knight, 99  
*Slaterocoris atritibialis* (Knight), 100  
*stygicus* (Say), 100  
*Smithistruma ornata* (Mayr), 297-310  
*pergandei* (Emery), 297-310  
*pulchella* (Emery), 297-310  
*Solenopsis molesta* (Say), 297-310  
*Sonoractia fervida* (Walker), 22  
*nundar* (Dyar), 22  
Sphecidae, 31-34, 77-78  
*Spilonota ocellana* (Denis & Schiff), 101  
*Spodoptera eridania* (Cramer), 145  
*Stenamma brevicorne* (Mayr), 297-310  
*diecki* Emery, 297-310  
*impar* Forel, 297-310  
*schmitti* Wheeler, 297-310  
*Stenodema trispinosum* Reuter, 99  
*vicinum* (Provancher), 99  
*Stenotus binotatus* (Fabricius), 99  
*Sthenaridea vulgaris* (Distant), 100  
*Stictotarsus griseostriatus* (DeGeer), 276, 292  
*Symmerista albifrons* (Smith), 161-171  
*canicosta* Franclemont, 161-171  
*leucitys* Franclemont, 161-171  
*Symphoromyia pluralis* Curran, 77  
*Synanthedon exitiosa* (Say), 311  
*pictipes* (Grote & Robinson), 311  
Tabanidae, 107-112  
*Tabanus americanus* Förster, 108-109  
*atratus* Fabr., 108-109  
*fairchildi* Stone, 108-109  
*lineola* Fabr., 108-109  
*pumilus* Macquart, 108-109  
*sackeni* Fairchild, 108-109  
*sparus* Whitney, 108-109  
*trimaculatus* Palisot de Beauvois, 108-109  
*Taedia casta* (McAtee), 99  
*evonymi* (Knight), 99  
*multisignata* (Reuter), 99  
*scrupea* (Say), 99  
*Tapinoma sessile* (Say), 297-310  
Tarsonemidae, 1  
Tephritidae, 77  
*Tetramorium caespitum* (L.), 297-310  
Tetranychidae, 101  
Therevidae, 77  
*Thermonectus basillaris* (Harris), 36, 52  
*ornaticollis* (Aubé), 36, 52  
*Thymelicus lineola* (Ochsenheimer), 319  
Tingidae, 101  
Tortricidae, 15-19, 137-149  
*Trialeurodes vaporariorum* (Westwood), 101  
*Trigonotylus caelestialium* (Kirkaldy), 99  
*Tropidosteptes canadensis* Van Duzee, 100  
*geminus* (Say), 100

*pettiti* Reuter, 100  
*Uvarus granarius* (Aubé), 276, 293  
*lacustris* (Say), 276, 293  
Vespidae, 15-19