

The
MICHIGAN ENTOMOLOGIST



VOLUME III (1970-1971)

Ronald S. Wilkinson
Editor Nos. 1-3

Irving J. Cantrall
Editor No. 4

PUBLICATION DATES

Number 1	22 June 1970
Number 2	16 December 1970
Number 3	16 December 1970
Number 4	23 November 1971

Published by

THE MICHIGAN ENTOMOLOGICAL SOCIETY
c/o Department of Entomology
Michigan State University
East Lansing, Michigan 48823, U.S.A.

THE MICHIGAN ENTOMOLOGIST

VOLUME III (1970-1971)

AUTHOR INDEX

- Beyer, A. H. and Murray Hanna. An Account of Early Regulatory Efforts to Control Cherry Fruit Flies (Diptera: Tephritidae) in Michigan, 90.
- Cantrall, Irving J. Appalachian Orthopteron Relicts in Michigan, 84.
- Cobb, David L. (See Wellso, Stanley G., Richard V. Connin, Robert P. Hoxie and David L. Cobb), 102.
- Connin, Richard V. (See Wellso, Stanley G., Richard V. Connin, Robert P. Hoxie and David L. Cobb), 102.
- Cook, David R. New or Incompletely Known Species of *Feltria* from North America, 66.
- Cook, David R. North American Species of the Genus *Hydrochoreutes* (Acarina: Pionidae), 108.
- Fleming, Richard C. Food Plants of Some Adult Sphinx Moths (Lepidoptera: Sphingidae), 17.
- Gangwere, S. K. (See Tyrkus, Michael and S. K. Gangwere), 118.
- Hanna, Murray. An Annotated List of the Spittlebugs of Michigan (Homoptera: Cercopidae), 2.
- Hanna, Murray. (See Beyer, A. H. and Murray Hanna), 90.
- Hoxie, Robert P. (See Wellso, Stanley G., Richard V. Connin, Robert P. Hoxie and David L. Cobb), 102.
- Koss, Richard W. A List of the Mayflies (Ephemeroptera) in the Michigan State University Entomology Museum, 98.
- McPherson, J. E. A Key and Annotated List of the Scutelleridae of Michigan (Hemiptera), 34.
- Prasad, V. Some Tetranychoid Mites of Michigan, 24.
- Steyskal, George C. The Flies of Western North America (review), 31 by F. R. Cole.
- Steyskal, George C. Aquatic Diptera by O. A. Johannsen (brief notice), 107.
- Tyrkus, Michael and S. K. Gangwere. Studies on the Feculae of Selected Michigan Acrididae (Orthoptera), 118.
- Wellso, Stanley G., Richard V. Connin, Robert P. Hoxie and David L. Cobb. Storage and Behavior of Plant and Diet-fed Adult Cereal Leaf Beetle, *Oulema melanopus* (Coleoptera: Chrysomelidae), 102.

- Wilkinson, Ronald S. Theories of the Nature of Life by Giovanni Blandino (review), 31.
- Wilkinson, Ronald S. Eternal Quest: The Story of the Great Naturalist by Alexander B. Adams (review), 32.
- Wilkinson, Ronald S. The Cole Library of Early Medicine and Zoology: Catalogue of Books and Pamphlets. Part I: 1472 to 1800 by Nellie B. Eales (brief notice), 101.
- Wilkinson, Ronald S. Nearctic Walshidae: Notes and New Taxa (Lepidoptera: Gelechioidea) by Ronald W. Hodges (brief notice), 107.
- Wilkinson, Ronald S. A Short History of the Brown-tail Moth (1782) by William Curtis (review), 117.
- Wilkinson, Ronald S. Annual Review of Entomology: Volume 15 (brief notice), 128.
- Wilkinson, Ronald S. Advances in Insect Physiology: Volume 6 (brief notice), 128.

SUBJECT INDEX

Compiled by Louis F. Wilson

- amabilis*, *Kolkwitzia*, 20.
- abbotti*, *Sphecodina*, food plants of adults, 20.
- abbreviatus*, *Peribalus*, in Michigan, 46-47.
- abjectus*, *Philaenus*, in Michigan, 11, 13.
- Acantholomidea denticulata*, 36.
- Acantholomidea*, species in Michigan, 36.
- Acanthosominae, of Michigan, 56-57.
- Acarina, 66-83, 108-117. North American species of *Hydrochoreutes*, 108-117; species of *Feltria* from North America, 66-83.
- Acarus aceris*, in Michigan, 25; *latens*, in Michigan, 27.
- accerra*, *Thyanta pallido-virens*, in Michigan, 54-55.
- Acer*, 24, 25, 26, 27, 53.
- aceris*, *Acarus*, in Michigan, 25; *Oligonychus*, in Michigan, 25.
- acetosella*, *Rumex*, 120.
- achatina*, *Clastoptera*, in Michigan, 7-8.
- Achillea millefolium*, 122.
- Acrididae, studies on the feculae, 118-128.
- Acrosternum*, of Michigan, 54-55; key to Michigan species, 54; *hilare*, in Michigan 54-55; *pennsylvanicum*, in Michigan, 54-55.
- aculeata*, *Calonyction*, 17.
- acutipalpis*, *Feltria*, 83.
- adoptiva*, *Paraleptophlebia*, 99.
- Aegopodium*, 29.
- Aelia*, species in Michigan, 51-52; *americana*, in Michigan 51-52.
- aeneifrons*, *Homaemus*, in Michigan, 36-37.
- aequalis*, *Hymenarcys*, in Michigan, 51-52.
- Aesculus hippocastanum*, 28.
- affiliata*, *Hexagenia munda*, 100.
- Agrimonia*, 4.
- alba*, *Lychnis*, 20; *Melilotus*, 29.
- album*, *Ephoron*, 100.
- albus*, *Symphoricarpos*, 19.
- Alder, 4, 8, 9.
- allectus*, *Tricorythodes*, 100.
- alni*, *Aphrophora*, 2, 4-5; in Michigan, 4-5.
- alternata*, *Siphurulus*, 101.
- alternatus*, *Eurygaster*, in Michigan, 37; *Siphonurus*, 98.
- Anaurochrous*, key to Michigan species, 44-45; *brevitylus*, in Michigan, 45; *cinctipes*, in Michigan, 45-46.
- Ambrosia*, 27, 29, 122; *artemisiifolia*, 122.
- Ametetus*, 101.
- americana*, *Aelia*, in Michigan, 51-52. *Habrophlebiodes*, 99.
- americanus*, *Rhacognathus*, in Michigan, 58.
- Amestinae, of Michigan, 41-42.
- Ametropodidae, list of species in the Michigan State University Entomology Museum, 99.
- Amnestus*, key to Michigan species, 41; of Michigan, 41-42; *pallidus*, in Michigan, 41; *pusillus*, in Michigan, 41; *spinifrons*, in Michigan, 41-42.

- Ampeloea myron*, food plants of adults, 20; *versicolor*, food plants of adults, 20.
- Amphion nessus*, food plants of adults, 20-21.
- amyntor*, *Cerotomia*, food plants of adults, 18.
- anceps*, *Caenis*, 101.
- anchorago fimbriatus*, *Stiretrus*, in Michigan, 57.
- Andropogon scoparius*, 12.
- angulifera*, *Lepyronia*, in Michigan, 10-11.
- anoka*, *Pseudocloeon*, 98.
- Antennaria*, 41, 122; *fallax*, 122; *neglecta*, 122; *plantaginifolia*, 41.
- Apateticus*, key to Michigan species, 58-59; of Michigan, 58-59; *bracteatus*, in Michigan, 59; *cynicus*, in Michigan, 59.
- aphrodite*, *Heptagenia*, 99.
- Aphrothora*, of Michigan, 4-7; *alni*, 2, 4-5; *alni*, in Michigan, 4-5; *parallela*, in Michigan, 4-5; *quadrinotata*, in Michigan, 4, 6, 8; *saratogensis*, in Michigan, 4-7; *signoreti*, 4, 6-7; *signoreti*, in Michigan, 6-7.
- Aphrophorinae, 2.
- Appalachia arcana*, an Orthopteran relict in Michigan, 84-85, 88; *hebaridi*, 84, 86, 88.
- appalachiana*, *Feltria*, from North America, 75-78, 80.
- Apple, 45, 46, 51, 54, 57, 59.
- Apricot, 54.
- Aquatic Diptera* by O. A. Johannsen, brief.
- Aralia*, 28, 57; *racemosa*, 57.
- arborea*, *Brochymena*, in Michigan, 45-46.
- Arbor vitae, 11, 55.
- arcana*, *Appalachia*, an Orthopteran relict in Michigan, 84-85, 88.
- Arctium*, 4, 29, 122; *minus*, 29, 122.
- Arisaena triphyllum*, 24.
- aristata*, *Plantago*, 38, 53, 121.
- Aristida purpurascens*, 119.
- Arphia pseudonietana pseudonietana*, studies on the feculae, 199-126.
- artemisifolia*, *Ambrosia*, 122.
- Arthroplea bipunctata*, 99.
- arvensis*, *Equisetum*, 119.
- Asarum canadense*, 28.
- Asclepiadaceae, 19, 27, 121.
- Asclepias*, 19, 27, 38, 121; *syriaca*, 19, 121.
- Ash, 46; mountain, 46.
- Asopinae, of Michigan, 57-58.
- Asparagus, 48, 51, 54, beetle, 57.
- aspera*, *Liatris*, 122.
- Aster*, 4.
- aterrima*, *Galgupha*, in Michigan, 38.
- Atlanticus davisii*, an Orthopteran relict in Michigan, 85-86, 88-89.
- atlanticus*, *Tetranychus*, in Michigan, 24, 27-28.
- atra*, *Galgupha*, in Michigan, 38-39.
- atratus*, *Tricorythodes*, 100.
- atricornis*, *Elasmotethus*, in Michigan, 56-57; *Trichopepla*, in Michigan, 47.
- atrocaudata*, *Hexagenia*, 100.
- attenuata*, *Ephemerella* (*Attenuatella*, 99.)
- Attenuatella attenuata*, 99.
- aurantiacum*, *Hieracium*, 19.
- Azugofeltria motasi*, 83; *testudo*, a new species from North America, 81-83.
- Azugofeltriinae, 82-83.
- Baetidae, list of species in the Michigan State University Entomology Museum, 98.
- Baetis*, 98, 101; *bicaudatus*, 98; *frondalis*, 98; *harti*, 98; *intercalaris*, 98; *parvus*, 98.
- Baetisca obesa*, 101.
- Baetiscidae, list of species in the Michigan State University Entomology Museum, 101.
- Banasa*, key to Michigan species, 55; of Michigan, 55-56; *calva*, in Michigan, 55; *dimidiata*, in Michigan, 55.
- Barley, 38, 103, 105.
- basale*, *Siphloplectron* 99.
- Bean, 48, 50, 51, 53, 54; green, 53; lima, 50; snap, 50.
- Beauty bush, 20.
- Beebalm, 19.
- Beech, 45, 53.
- Beetle, 45, 57, 59; asparagus, 57; cereal leaf, storage and behavior of plant and diet-fed adults, 102-107; Colorado potato, 45, 57, 59; elm leaf, 59; spinach flea, 57; striped cucumber, 59.
- Beets, 41.
- Bergamot, wild, 19.
- bicaudatus*, *Baetis*, 98.
- bicincta ignipecta*, *Prosapia*, in Michigan, 14-16.
- bicolor*, *Ephemerella* (*Eurylophella*), 100; *Isorynchia*, 98.
- bicolpus*, *Brevipalpus*, in Michigan, 29.
- bilineata*, *Hexagenia*, 100-101.

- bilineata*, *Philaenus*, in Michigan, 11, 13.
bimaculata, *Cosmopepla*, in Michigan, 51-53.
binotata, *Phimodera*, in Michigan, 37-38.
bioculatus *Perillus*, in Michigan, 57-58.
bipunctata, *Arthroplea*, 99; *Tetyra*, in Michigan, 36.
bipunctatum, *Stenonema*, 99.
 Birch, 8.
bivittatus, *Melanoplus*, 118.
 Blackberry, 19, 40, 49, 50, 53.
 Black cherry, 54; fruit fly, early efforts to control in Michigan, 90-96.
 Black swallowtail, 57.
Blasturus cupidus, 101.
Blepharida rhois, 58.
 Blueberry, 8, 9, 19.
 Blue-grass, 37, 40, 41, 48, 50, 51, 52.
bolli, *Sphragemon bolli*, studies on the feculae, 119-125.
bombycoides, *Lapara*, 18.
 Bouncing bet, 17-22.
 Boxwood, 25.
bracteatus, *Apateticus*, in Michigan, 59.
Bradyporus multituberculatus, 118.
Brevipalpus bicolpus, in Michigan, 29.
garmani, in Michigan, 29.
brevitylus, *Amaurochrous*, in Michigan, 45.
Brochymena, 34, 45-46; key to Michigan species, 45; of Michigan, 45-46; *arborea*, in Michigan, 45-46; *quadripustulata*, in Michigan, 45-46.
 Brown-tail Moth, 117.
Bryobia praetiosa, in Michigan, 24; *rubriculus*, 24.
 Buckeye, 18.
 Buckhorn plantain, 49.
 Buckwheat, wild, 48.
 Budworm, jack pine, 60.
 Bush honeysuckle, 19.
 Butterfly, 57, 59; black swallowtail, 57; cabbage, 59.
 Button snakeroot, 47.
buxi, *Eurytetranychus*, in Michigan, 24-25; *Neotetranychus*, in Michigan, 25.
 Cabbage, 47, 48, 54; butterfly, 59; looper, 57.
 Caenidae, list of species in the Michigan State University Entomology Museum, 101.
Caenis, 101; *anceps*, 101; *forcipata*, 101; *hilaris*, 101; *jocosa*, 101; *tardata*, 101; *simulans*, 101.
caerulea, *Zicrona*, in Michigan, 61.
Callibaetes, 98, 101; *ferrugineus*, 98; *skokianus*, 98.
Calonyction aculeata, 17.
calva, *Banasa*, in Michigan, 55.
 Canada violet, 19.
canadense, *Asarum*, 28; *Helianthemum*, 121; *Stenonema*, 99.
canadensis, *Cornus*, 24, 29; *Ecdyonurus*, 101; *Sanguinaria*, 28; *Septanychus*, in Michigan, 28; *Solidago*, 4; *Tetranychus*, in Michigan, 28; *Trirhabda*, 58; *Viola*, 19.
Canna, 29.
 Cantaloupe, 49.
capitata, *Lespedeza*, 120-121.
caprifolium, *Lonicera*, 21.
cardiaca, *Leonurus*, 121.
Carex muhlenbergii, 120.
carinata, *Galgupha*, in Michigan, 38-39.
carlesi, *Viburnum*, 20.
carota, *Daucus*, 4, 47, 49, 53, 121.
 Carrot, wild, 4, 47, 49, 53, 121.
Carya, 7, 8, 53, 56, 120; *ovalis*, 120.
 Catalpa, 18, 54.
Catalpa speciosa, 18.
catalpae, *Ceratonia*, food plants of adults, 18.
 Catantopinae, studies on the feculae, 118-127.
 Caterpillar, 56, 59; eastern tent, 59; tent, 56, 59, 60; webworm, 59.
 Cauliflower, 47.
Ceanothus, 36, 40, 48; *ovatus*, 36; *pubescens*, 36.
 Cedar, red, 8.
Celerio galli intermedia, food plants of adults, 21; *Celerio lineata*, food plants of adults, 21; *lineata livornica*, 21.
 Celery, 40.
Cenchrus, 119.
Centaurea scabiosa, 21.
Centropitulum, 101.
Ceratonia amyntor, food plants of adults, 18; *catalpae*, food plants of adults, 18; *undulosa*, food plants of adults, 18.
 Cercopidae, spittlebugs of Michigan, 2-16.
 Cercopinae, 2.
cerisyi, *Smerinthus*, food plants of adults, 19.
 Cherry, 18, 42, 46, 54, 90-96; black, 54; fruit fly, black, early efforts to control in Michigan, 90-96; fruit fly, early efforts to control in Michigan, 90-96; wild, 18, 42.
chersis, *Sphinx*, food plants of adults, 18.

- Chestnut, 25.
 Chicory, 49, 50.
Chlorochroa, species in Michigan, 48;
uhleri, in Michigan, 48.
 Choerocampinae, food plants of adults,
 21.
Chortophaga viridifasciata, 126.
Chrysanthemum leucanthemum, 122.
 Chrysomelidae, 60.
 Cicada, 2.
 Cicadidae, 2.
cinctipes, *Amaurochrous*, in Michigan,
 45-46.
cinctus albonotatus, *Sehirus*, in Michigan,
 41-42; *cinctus cinctus*, *Sehirus*, in
 Michigan, 42, 44.
cingulata, *Herse*, 22; *Rhagoletis*, early
 efforts to control in Michigan,
 90-96.
 Cinquefoil, 10.
Cinygmula, 99, 101; *subaequalis*, 99.
circumcinctus, *Perillus*, 58.
 Cirsium, 4, 19, 21; *muticum*, 19.
 Cistaceae, 121
Clastoptera, of Michigan, 7-11; *achatina*,
 in Michigan, 7-8; *hyperici*, in
 Michigan, 7-8; *juniperina*, in
 Michigan, 8-9; *obtusa*, 4, 8-9;
obtusa, in Michigan, 8-9; *proteus*,
 in Michigan, 8-10; *saintcyri*, in
 Michigan, 9-10; *testacea*, 4, 9, 11;
testacea, in Michigan, 9, 11.
 Clastopterinae, 2.
Cloeon, 101; *mandax*, 101.
 Clover, 42, 47, 49, 50, 51, 52, 54; red,
 19, 21, 49, 50, 52; sweet, 42, 47,
 49, 50; white, 51.
 Codling moth, 59.
Coenus, species in Michigan, 51-52;
delius, in Michigan, 51-52.
cognatum, *Leptoloma*, 119.
 Coleoptera, 45, 57, 59, 102-107.
collare, *Spharagemon*, studies on the
 feculae, 119-125, 127.
coloradensis, *Ephemerella* (*Drunella*),
 100.
 Colorado potato beetle, 45, 57, 59.
columbiae, *Parameletus*, 98.
 Common milkweed, 19; mullein, 48, 50.
 Compositae, 122-123.
compressa, *Poa*, 120.
confusus, *Melanoplus*, studies on the
 feculae, 119-125, 127.
 Conifers, 4, 5, 6, 26.
cordata, *Pontederia*, 19.
Corimelaena, key to Michigan species and
 subspecies, 39-40; *lateralis* *lateralis*,
 in Michigan, 39-40; *nigra*, in Michi-
 gan, 39-40; *pulicaria*, in Michigan,
 39-40.
 Corimelaenidae, key to Michigan genera,
 37; of Michigan, 37-40.
 Corn, 40, 48, 49, 50, 51, 53, 54, 103,
 105.
Cornus, 26; *canadensis*, 24, 29.
cornuta, *Ephemerella* (*Drunella*), 100;
Feltria, 67; *Feltria cornuta*, 67;
cornuta longispina, *Feltria*, 67;
cornuta paucipora, *Feltria*, 67.
cornutella, *Ephemerella* (*Drunella*), 100.
corollata, *Euphorbia*, 121.
coronarius, *Philadelphus*, 19-20.
Cosmoepepla, species in Michigan, 52-53;
bimaculata in Michigan, 52-53.
 Cotton, 49, 51, 54.
 Cottonworm, 48.
 Cowpea, 49.
 Cranberry, 19.
crassipalpis, *Feltria*, 81.
Cressonia juglandis, food plants of adults,
 19.
 Cricket, pine tree, 85-86, 88; tamarack
 tree, an Orthopteran relict in
 Michigan, 85-86, 88.
crispis, *Rumex*, 4.
cruciatus, *Elasmostethus*, in Michigan, 57.
 Cruciferae, 120.
cupida, *Leptophlebia*, 99.
cupidus, *Blasturus*, 101.
 Cupressaceae, 120.
 Currant, 19, 52, 55; red garden, 55; wild,
 19.
custator, *Thyanta*, in Michigan, 54.
cynicus, *Apateticus*, in Michigan, 59.
 Cynidae, key to Michigan genera, 40-41;
 of Michigan, 40-42.
 Cyperaceae, 120.
Cyperus filiculmis, 120.
 Daisy, oxeye, 49.
 Dandelion, 19, 21, 24.
Dannella simplex, 99.
Danthonia spicata, 119.
Darapsa pholus, food plants of adults,
 20.
Datana, 59.
Daucus, 4, 6, 47, 49, 53, 121; *carota*, 4,
 47, 49, 53, 121.
davisi, *Atlanticus*, an Orthopteran relict
 in Michigan, 85-86, 88-89.
debilis, *Paraleptophlebia*, 99.
deficiens, *Ephemerella* (*Serratella*),
 100.

- Deidamia inscriptum*, food plants of adults, 20.
- delius*, *Coenus*, in Michigan, 51-52.
- Dendrocoris*, species in Michigan, 56; *humeralis*, in Michigan, 56.
- denticulata*, *Acantholomidea*, in Michigan, 36; *Feltria*, 69.
- depauperatum*, *Panicum*, 119.
- Desmodium illinoense*, 120; *sessilifolium*, 120.
- Deutzia*, 29.
- diabasia*, *Heptagenia*, 99.
- diervilla* *Lonicera*, 19.
- diffinis*, *Haemorrhagia*, food plants of adults, 19.
- dimidiata*, *Banasa*, in Michigan, 55.
- Diptera, 90-96, 107; early efforts to control cherry fruit flies in Michigan, 90-96.
- doddsi*, *Ephemerella* (*Drunella*), 100.
- Dogwood, 8, 9, 49, 55.
- Dolba hylaeus*, food plants of adults, 18.
- dorothea*, *Ephemerella* (s.s.), 100.
- Drunella*, 100-101; *coloradensis*, 100; *cornuta*, 100; *cornutella*, 100; *doddsi*, 100; *grandis*, 100.
- drupiferarum*, *Sphinx*, food plants of adults, 18.
- Eastern tent caterpillar, 59.
- Ecdyonurus canadensis*, 101.
- echinopalpis*, *Feltria echinopalpis*, 69; *echinopalpis projecta*, *Feltria*, a new subspecies from North America, 67-70.
- Echium vulgare*, 21.
- Eggplant, 54.
- Elasmostethus*, key to Michigan species, 56; of Michigan, 56-57. *atricornis*, in Michigan, 56-57; *cruciatu*s, in Michigan, 57.
- elegans*, *Hexagenia munda*, 100.
- ello*, *Erinnyis*, food plants of adults, 19.
- Elm, 46, 53; leaf beetle, 59.
- Elymus*, 24, 29.
- endytus*, *Oligonychus*, in Michigan, 25, 26.
- Eotetranychus multidigituli*, in Michigan, 24-25; *populi*, in Michigan, 25.
- Epeorus*, 99, 101; (*Iron*) *suffusus*, 99; (*Iron*) *vitrea*, 99.
- Ephemera*, 100-101; *guttulata*, 100; *luteola*, 101; *notata*, 101; *simulans*, 100-101; *triplex*, 100; *varia*, 100.
- Ephemerella*, 99-101; (*Attenuatella*) *attenuata*, 99; (*Dannella*) *simplex*, 99; (*Drunella*) *coloradensis*, 100; (*Drunella*) *cornuta*, 100; (*Drunella*) *cornutella*, 100; (*Drunella*) *doddsi*, 100; (*Drunella*) *grandis*, 100; (*Eurylophella*) *bicolor*, 100; (*Eurylophella*) *funeralis*, 100; (*Eurylophella*) *prudentialis*, 100; (*Eurylophella*) *temporalis*, 100; (*Serratella*) *deficiens*, 100; (*Serratella*) *tibialis*, 100; (s.s.) *dorothea*, 100; (s.s.) *infrequens*, 100; (s.s.) *invaria*, 100; (s.s.) *needhami*, 100; (*Timpanoga*) *hecuba pacifica*, 100.
- Ephemereillidae, list of species in the Michigan State University Entomology Museum, 99-100.
- Ephemeridae, list of species in the Michigan State University Entomology Museum, 100.
- Ephemeroptera, list of mayflies in the Michigan State University Entomology Museum, 98, 101.
- Ephoron album*, 100; *leukon*, 100.
- Equisetaceae, 119.
- Equisetum arvense*, 119.
- Eragrostis spectabilis*, 119.
- eremitus*, *Sphinx*, food plants of adults, 18.
- Erigeron*, 4, 122; *philadelphicus*, 4; *strigosus*, 122.
- Erinnyis ello*, food plants of adults, 19.
- erythreus*, *Pentamerismus*, in Michigan, 29-30.
- Euphorbiaceae, 121.
- Euphorbia corollata*, 121.
- eurycerus*, *Melanoplus viridipes*, and Orthopteran relict in Michigan, 85-86, 87, 89.
- Eurygaster*, species in Michigan, 37; *alternatus*, in Michigan, 37.
- Eurylophella*, 100-101; *bicolor*, 100; *funeralis*, 100; *prudentialis*, 100; *temporalis*, 100.
- Eurytetranychus buxi*, in Michigan 24-25.
- euschistoides*, *Euschistus servus*, in Michigan, 49-50.
- Euschistus*, key to Michigan species and subspecies, 48-49; of Michigan, 48-51; *ictericus*, in Michigan, 48-49; *politus*, in Michigan, 49-50; *servus euschistoides*, in Michigan, 49-50; *servus servus*, in Michigan, 49-50; *tristigmus luridus*, in Michigan, 50; *tristigmus pyrrhocerus*, in Michigan, 50-51; *variolarius*, in Michigan, 50-51.
- Evening primrose, 18, 20, 49.

exaptus, *Perillus*, in Michigan, 58.
excaecata, *Paonias*, food plants of adults, 19.

excitans, *Neodiprion*, 61.

exilis, *Feltria*, a new species from North America, 79-81; *Feltriella*, a new species from North America, 79-81.

Fabaceae, 120-121.

faceta, *Feltria*, from North America, 75-79.

Fagaceae, 121.

falcicornia, *Feltria*, a new species from North America, 66-68, 70.

fallax, *Antennaria*, 122; *Tricorythodes*, 100.

Fall webworm, 60.

fasciatus, *Pholus*, 20.

fausta, *Rhagoletis*, early efforts to control in Michigan, 90-96.

Feltria acutipalpis, 83; *appalachiana*, from North America, 75-78, 80; *cornuta cornuta*, 67; *cornuta longispina*, 67; *cornuta paucipora*, 67; *crassipalpis*, 81; *denticulata*, 69; *echinopalpis echinopalpis*, 69; *echinopalpis projecta*, a new subspecies from North America, 67-69; *exilis*, a new species from North America, 79-81; *faceta*, from North America, 75-79; *faceta* group, 74-80; *falcicornia*, a new species from North America, 66-68, 70; *gennada*, from North America, 72-75; *gledhilli*, a new species from North America, 71, 73; *ludbladi*, 71; *macroplata geometrica*, 81; *magniseta*, a new species from North America, 69-71; *minuta*, 74; *mira*, 83; *miurai*, 83; *montanensis*, 71; *multiscutata*, 81; *ozarkensis*, 76, 79; *parva*, 72; *plana*, a new species from North America, 75-78, 80; *polyplacophora*, 81; *similis*, 83; *testudo*, 66; *testudo*, a new species from North America, 81-83; *virginiensis*, 83; *wyomingensis*, a new species from North America, 74-75.

Feltriella exilis, a new species from North America, 79-81.

Feltriidae, species of *Feltria* from North America, 66-83.

Feltriinae, species from North America, 66-83.

femoratum, *Stenonema*, 99.

Fern, 27, 29.

ferrugineus, *Callibaetis*, 98.

filiculmis, *Cyperus*, 120.

fimbriatus, *Stiretrus anchorago*, in Michigan, 57.

fistulosa, *Monarda*, 19, 121.

flagellaris, *Rubus*, 120.

flavescens, *Heptagenia*, 101.

flavofasciata, *Proserpinus*, food plants of adults, 21.

Fly, black cherry fruit, early efforts to control in Michigan, 90-96; cherry fruit, early efforts to control in Michigan, 90-96.

foetidus, *Symplocarpus*, 26, 28, 29.

forcipata, *Caenis*, 101.

Forest tent caterpillar, 60.

Forsythia, 26-29.

fretus, *Podisus*, in Michigan, 61.

frondalis, *Baetis*, 98.

frontale, *Stenonema*, 99.

funeralis, *Ephemerella* (*Eurylophella*), 100.

fuscum, *Stenonema*, 99.

Galgupha, key to Michigan species and subspecies, 37-38; of Michigan, 37-40; *atra*, in Michigan, 38-39; *aterrima*, in Michigan, 38; *carinata*, in Michigan, 38-39; *laboprosthethia*, in Michigan, 38-39; *nitiduloides nitiduloides*, in Michigan, 38-39; *ovalis*, in Michigan, 38-40.

galli intermedia, *Celerio*, food plants of adults, 21.

garmani, *Brevipalpus*, in Michigan, 29; *Schizotetranychus*, in Michigan, 27.

geminatus, *Smerinthus*, food plants and adults, 19.

gennada, *Feltria*, from North America, 72-75.

Gentian, 10.

geometrica, *Feltria macroplata*, 81.

Geranium, 20, 27; *robertianum*, 20.

Geum, 4.

gibbosa, *Lepyronia*, in Michigan, 10, 12.

gildersleevei, *Stenonema*, 99.

glauca, *Setaria*, 120.

gledhilli, *Feltria*, a new species from North America, 72-73.

Gleditsia triacanthos, 25.

Gnaphalium obtusifolium, 122.

Goldenrod, 4, 11, 47, 49, 53, 54, 122.

Gooseberry, 51.

gordius, *Sphinx*, food plants of adults, 18.

gracilis, *Haemorrhagia*, food plants of adults, 19.
Gramineae, 119-120.
grandis, *Ephemerella* (*Drunella*), 100.
Grape, 24, 45, 46, 47, 52, 54; wild, 47, 52.
Graphosomatinae, of Michigan, 44-45.
Grass, 10, 24, 36, 37, 38, 40, 41, 50, 51, 52, 54, 119; blue-grass, 37, 40, 41, 48, 50, 51, 52; redtop, 38, 52; timothy, 37, 49, 51; swamp, 36.
Grasshopper, spine-breasted, studies on the feculae, 118-127.
Green, bean, 53.
gregaria, *Schistocerca*, 118.
griseus, *Melanplus punctulatus*, an Orthopteran relict in Michigan, 85-89.
groenlandicum, *Ledum*, 19.
gronovii, *Hieracium*, 122.
Group, *Feltia faceta*, 74-80.
guttulata, *Ephemerella*, 100.
Gypsy moth, 56, 59, 60.
Habrophlebia vibrans, 99.
Habrophlebiodes americana, 99.
Hackberry, 53.
Haemorrhagia diffinis, food plants of adults, 19; *gracilis*, food plants of adults, 19; *thysbe*, food plants of adults, 19; *senta*, food plants of adults, 19.
hageni, *Isogramma*, 18.
Hard maple, 53.
harti, *Baetis*, 98; *Neophyllobius*, in Michigan, 26-27; *Petrobia*, in Michigan, 26-27.
Hawkweed, orange, 19.
Hawthorn, 55.
Hazel, 38, 49, 56.
Head lettuce, 53.
hebardei, *Appalachia*, 84, 86, 88.
hebe, *Heptagenia*, 99.
hecuba pacifica, *Ephemerella* (*Timpanoga*), 100.
hederaceae, *Nepeta*, 4.
Helianthemum canadense, 121.
Hemaris, food plants of adults, 19.
Hemiptera, 34-63; Scutelleroidea of Michigan, 34-63.
Heptagenia, 99, 101; *aphrodite*, 99; *diabasia*, 99; *flavescens*, 101; *hebe*, 99; *interpunctata*, 101; *juno*, 99; *pulchella*, 101; *pulla*, 99; *rosea*, 99; *simpliciodes*, 99; *solitaria*, 99.
Heptageniidae, list of species in the Michigan State University Entomology Museum, 99.
Herse cingulata, 22.

heterophylla, *Physalis*, 121.
heterotarsale, *Stenonema*, 99.
Hexagenia, 100-101; *atrocaudata*, 100; *bilineata*, 100, 101; *limbata limbata*, 100, 101; *limbata occulta*, 100, 101; *limbata s.*, 100; *limbata venusta*, 100, 101; *limbata viridescens*, 100; *munda affiliata*, 100; *munda elegans*, 100; *munda munda*, 100; *recurvata*, 100; *rigida*, 100.
Hickory, 7, 8, 53, 56, 120; Shagbark, 7.
Hieracium, 19, 122; *aurantiacum*, 19; *gronovii*, 122; *longipilum*, 122.
hilare, *Acrosternum*, in Michigan, 54-55.
hilaris, *Caenis*, 101.
hippocastanum, *Aesculus*, 28.
hirta, *Lespedeza*, 121.
Holly, deciduous, 55.
Hollyhock, 29.
Homaenus, species in Michigan, 36-37; *aeneifrons*, in Michigan, 36-37.
Homoptera, spittlebugs of Michigan, 2-16.
Honey locust, 25.
Honeysuckle, bush, 19; Japanese, 17-22.
Huckleberry, 55.
humeralis, *Dendrocoris*, in Michigan, 56.
hybrida, *Petunia*, 17-18, 20-21.
Hydrochoreutes intermedius, in North America, 108-110, 112; *krameri*, 108, 114; *michiganensis*, a new species in North America, 111-113; *microporus*, new species in North America, 112, 114-115; *minor*, new species in North America, 110-112; North American species, 108-117; *schizopetiolatus*, new species in North America, 115-116; *ungulatus*, 108, 114.
hylaesus, *Dolba*, food plants of adults, 18.
Hymenarcys, key to Michigan species, 51; of Michigan, 51-52; *aequalis*, in Michigan, 51-52; *nervosa*, in Michigan, 51-52.
Hypericaceae, 121.
hyperici, *Clastoptera*, in Michigan, 7-8.
Hypericum perforatum, 121; *prolificum*, 7.
ictericus, *Euschistus*, in Michigan, 48-49.
ignipecta, *Prosapia bicincta*, in Michigan, 14-16.
ilicis, *Oligonychus*, in Michigan, 24, 26; *Tetranychus*, in Michigan, 24, 26.
illinoense, *Desmodium*, 120.

- impersonata*, *Rhithrogena*, 99.
infrequens, *Ephemerella* (s.s.), 100.
inscriptum *Deidamia*, food plants of adults, 20.
insertus, *Meneclis*, in Michigan, 53.
intercalaris, *Baetis*, 98.
intermedia, *Celerio galli*, food plants of adults, 21. *Potentilla*, 120.
intermedius, *Hydrochoreutes*, in North America, 108-110, 112.
interpunctata, *Heptagenia*, 101.
interpunctatum, *Stenonema*, 99.
 Introduced pine sawfly, 59, 60.
invaria, *Ephemerella* (s.s.), 100.
Ironopsis, 101.
Isogramma hageni, 18.
Isonychia, 98, 101; *bicolor*, 98; *sadleri*, 98.
ithaca, *Stenonema*, 99.
- Jack pine, 36; budworm, 60.
 Japanese honeysuckle, 17-22.
japonica, *Lonicera*, 17-22.
 Jimpson weed, 21.
jocosa, *Caenis*, 101.
 Juglandaceae, 120.
juglandis, *Cressonia*, food plants of adults, 19.
juliflora, *Prosopeus*, 46.
juncea, *Solidago*, 122.
 Juniper, 8, 48, 55, 120; ornamental 8.
juniperina, *Clastoptera*, in Michigan, 8-9.
Juniperus, 8, 48, 55, 120.
juno, *Heptagenia*, 99.
- kalmiae*, *Sphinx*, food plants of adults, 18, 20.
 Katydid, 118.
Kolkwitzia amabilis, 20.
krameri, *Hydrochoreutes*, 108, 114.
kurtvietsi, *Feltria*, a new species from North America, 71, 73.
- Labiatae, 121.
laboprostethia, *Galgupha*, in Michigan, 38-39.
 Labrador tea, 19.
Lactuca, 29, 53, 122.
Lapara bombycoides, 18.
Laportea, 6.
 Larch sawfly, 59, 60.
 Large bracted plantain, 53.
laricis, *Oecanthus*, an Orthopteran relict in Michigan, 85-86, 88.
Larix, 5, 6, 9.
 Larkspur, 21.
- latens*, *Acarus*, in Michigan, 27; *Petrobia*, in Michigan, 27.
lateralis *lateralis*, *Corimelaena*, in Michigan, 39-40.
lateralis, *Meadorus*, in Michigan, 56.
Lavandula spica, 21.
Ledum groenlandicum, 19.
 Leaf roller, strawberry, 59.
 Leatherleaf, 9.
Lechea villosa, 121.
Leonurus cardiaca, 121.
Lepidium virginicum, 120.
 Lepidoptera, 17-23, 57, 59, 60, 107, 117, 118; sphinx moth food plants, 17-23.
Leptoloma cognatum, 119.
lepton, *Stenonema*, 99.
Leptophlebia, 99, 101; *cupida*, 99; *nebulosa*, 99.
 Leptophlebiidae, list of species in the Michigan State University Entomology Museum, 99.
Lepyronia, of Michigan, 9-12; *angulifera*, in Michigan, 10-11; *gibbosa*, in Michigan, 10, 12; *quadrangularis*, 4, 10, 12; *quadrangularis*, in Michigan, 10, 12.
Lespedeza capitata, 120-121; *hirta*, 121.
 Lettuce, 29, 53, 122; head, 53.
leucanthemum, *Chrysanthemum*, 122.
leukon, *Ephoron*, 100.
Liatris aspera, 122.
 Lilac, 19-21.
 Lily, 29.
 Lima bean, 50.
limbata occulta, *Hexagenia*, 100-101; *limbata*, *Hexagenia limbata*, 100-101; *limbata venusta*, *Hexagenia*, 100-101. *limbata viridescens*, *Hexagenia*, 100-101.
limbolaris, *Peribalus*, in Michigan, 46-47.
lineata, *Celerio*, food plants of adults, 21; *livornica*, *Celerio*, 21.
lineatus, *Philaenus*, 4, 13-14; in Michigan, 13-14.
Linocera, 29.
livornica, *Celerio lineata*, 21.
 Locust, honey, 25.
longipilum, *Hieracium*, 122.
longispina, *Feltria cornuta*, 67.
Lonicera caprifolium, 21; *Diervilla*, 19; *japonica*, 17-22; *periclymenum*, 21.
 Looper, Cabbage, 57.
lugens, *Mormidea*, in Michigan, 48.
lundbladi, *Feltria*, 71.
Lupinus, 19.
luridus, *Euschistus tristigmus*, in Michigan, 50.

- luscitiosa*, *Sphinx*, food plants of adults, 18.
luteola, *Ephemera*, 101.
Lychnis alba, 20.
- Machaerotinae, 2.
 Macroglossinae, food plants of adults, 19.
macropilata geometrica, *Feltria*, 81.
maculiventris, *Podisus*, in Michigan, 59-60.
magniseta, *Feltria*, a new species from North America, 69-71.
mandax, *Cloeon*, 101.
Manduca sexta, food plants of adults, 17, 22.
Manduca quinquemaculata, food plants of adults, 17.
 Maple, 24, 25, 26, 27, 53; hard, 53.
 Mayflies, list of mayflies in the Michigan State University Entomology Museum, 98-101.
mcDanieli, *Tetranychus*, in Michigan, 24, 28.
Meadora, species in Michigan, 56;
lateralis, in Michigan 56.
 Meadow spittlebug, 4, 12-15; in Michigan, 12-15.
Melanoplus bivittatus, 118; *confusus*, studies on the feculae, 119-125, 127; *punctulatus griseus*, an Orthopteran relict in Michigan, 85-59; *punctulatus punctulatus*, 85-89; *sanguinipes sanguinipes*, studies on the feculae, 119-127; *viridipes eurycerus*, an Orthopteran relict in Michigan, 85-86, 87, 89; *viridipes viridipes*, 85-86, 87, 89.
Melilotus alba, 29.
 Melon, 47, 49.
memoralis, *Paraleptophlebia*, 99.
Meneclis, species in Michigan, 53;
insertus, in Michigan, 53.
michiganensis, *Hydrochoreutes*, new species in North America, 111-113.
microphthalmus, *Sciocoris*, in Michigan, 45-46.
microporus, *Hydrochoreutes*, new species in North America, 112, 114-115.
 Milkweed, 19, 27, 38, 121; common, 19.
millefolium, *Achillea*, 122.
minnetonka, *Stenonema*, 99.
minor, *Hydrochoreutes*, new species in North America, 110-112.
 Mint, 42, 53.
minus, *Arctium*, 29, 122.
minuta, *Feltria*, 74.
mira, *Feltria*, 83.
mirus, *Siphonurus*, 98.
 Mites, tetranychoid mites of Michigan, 24-31.
miurai, *Feltria*, 83.
 Mock orange, 19-20.
modesta, *Pachysphinx*, food plants of adults, 19.
modestus, *Podisus*, in Michigan, 60.
mollis, *Paraleptophlebia*, 99.
Monarda fistulosa, 19, 121.
 Moonflower, 17.
montanensis, *Feltria*, 71.
Mormidea, species in Michigan, 48;
lugens, in Michigan, 48.
motasi, *Azugofeltria*, 83.
 Moth, 17-23, 56, 59, 60, 117; brown-tail, 117; codling, 59; gypsy, 56, 59, 60; mullein, 51; promethea, 60; sphinx, food plants of adults, 17-23, wax, 60.
 Mountain ash, 46.
muhlenbergii, *Carex*, 120.
 Mullein, 48, 50, 51, 52, 53; common, 48, 50; moth, 51.
multidigituli, *Eotetranychus*, in Michigan, 24-25; *Tetranychus*, in Michigan, 24-25.
multiscutata, *Feltria*, 81.
multituberculatus, *Bradyporus*, 118.
munda affiliatus, *Hexagenia*, 100; *munda elegans*, *Hexagenia*, 100; *munda*, *Hexagenia munda*, 100.
 Mustard, 48, 54.
muticum, *Cirsium*, 19.
myops, *Paonias*, food plants of adults, 19; *Potamanthus*, 100.
myron, *Ampeloeca*, food plants of adults, 20.
nebulosa, *Leptophlebia*, 99.
needhami, *Ephemerella* (s.s.), 100.
neglecta, *Antennaria*, 122.
neglectus, *Potamanthus*, 100.
nemoralis, *Solidago*, 122.
Neodiprion excitans, 61.
Neofeltria, 83.
Neophyllobius harti, in Michigan, 26-27.
Neotetranychus buxi, in Michigan, 25.
Neottiglossa, key to Michigan species, 52; of Michigan, 52-53; *trilineata*, in Michigan 52-53; *undata*, in Michigan, 52-53.
Nepeta hederaceae, 4.
nepotellum, *Stenonema*, 99.
nessus, *Amphion*, food plants of adults,

nervosa, *Hymenarcys*, in Michigan, 51-52.
Nettles, 42.

New Jersey tea, 40.

Nicotiana, 17.

nigra, *Corimelaena*, in Michigan, 39-40.

nigricans, *Philaenus*, 12.

nitiduloides nitiduloides, *Galgupha*, in Michigan, 38-39.

nodosa, *Scrophularia*, 52.

notata, *Ephemerella*, 101.

Nygmia phaeorrhoea, 117.

Oak, 9, 25, 45, 49, 50, 56, 60.

Oat, 48, 50, 54, 103.

obesa, *Baetisca*, 101.

obtusa, *Clastoptera*, 4, 8-9; *Clastoptera*, in Michigan, 8-9.

obtusifolium, *Gnaphalium*, 122.

occidentalis, *Siphonurus*, 98; *Thuja*, 26.

occulta, *Hexagenia limbata*, 100-101.

ocellatus, *Smerinthus*, 19.

Odontotarsinae, 35, 37-41; of Michigan, 37-41.

Oebalus, species in Michigan, 48-49; *pugnax*, in Michigan, 48-49.

Oecanthus laricis, an Orthopteran relict in Michigan, 85-86, 88; *pini*, 85-86, 88.

Oedipodinae, studies on the feculae, 118-127.

officinale, *Taraxacum*, 19-21, 24, 123.

officinalis, *Saponaria*, 17-22.

Okra, 54.

Oligonychus aceris, in Michigan, 25; *endytus*, in Michigan, 25-26; *ilicis*, in Michigan, 24, 26; *platani*, 26; *propetes*, in Michigan, 26; *ununguis*, in Michigan, 26.

oligosanthes, *Panicum*, 119.

Onion, 51.

Orange, 54.

Orange hawkweed, 19.

orbiculatus, *Philaenus*, 12.

Ornamental juniper, 8.

Orthoptera, Appalachian relicts in Michigan, 84-89; studies on the feculae of selected Acrididae, 118-128.

ovalis, *Carya*, 120; *Galgupha*, in Michigan, 38-40.

ovatus, *Ceanothus*, 36.

Oxalidaceae, 27, 121.

Oxalis, 27; *stricta*, 121.

Oxeye daisy, 49, 50.

ozarkensis, *Feltria*, 76, 79.

Pachysphinx modesta, food plants of adults, 19.

pacifica, *Ephemerella* (*Timpanoga*) *hecuba*, 100.

pallidus, *Amnestus*, in Michigan, 41.

pallido-virens accerra, *Thyanta*, in Michigan, 54-55.

palustris, *Stachys*, 42, 53.

pandorus, *Pholus satellitia*, food plants of adults, 20.

Panicum, 48, 119; *depauperatum*, 119; *otigosanthes*, 119.

Panonychus ulmi, in Michigan, 24, 26.

Paonias excaecata, food plants of adults, 19; *myops*, food plants of adults, 19.

Paraleptophlebia, 99, 101; *adoptiva*, 99; *debilis*, 99; *memoralis*, 99; *mollis*, 99; *praepedita*, 99; *sculleni*, 99.

parallela, *Aphrophora*, in Michigan, 4-5.

parallelus, *Philaenus*, in Michigan, 13, 15.

Parameletus columbiae, 98.

parva, *Feltria*, 72.

parvus, *Baetis*, 98.

paucipora, *Feltria cornuta*, 67.

Pawpaw, 29.

Pea, 48, 49, 51, 54.

Peach, 45, 49, 50, 51, 54.

Pear, 45, 46, 49.

pennsylvanicum, *Acrosternum*, in Michigan, 54-55.

Pentamerismus erythreus, in Michigan, 29-30.

Pentatomidae, key to Michigan genera, 42-44; of Michigan, 42-61.

Pentatominae, of Michigan, 45-46.

Pepper, 50.

Peppergrass, 47.

perelegans, *Sphinx*, food plants of adults, 18.

perforatum, *Hypericum*, 121.

Peribalus, key to Michigan species, 46; of Michigan, 46-47; *abbreviatus*, in Michigan, 46-47; *limbolarius*, in Michigan, 46-47.

periclymenum, *Lonicera*, 21.

Perillus, key to Michigan species, 57; of Michigan, 57-58; *bioculatus*, in Michigan, 57-58; *circumcinctus*, in Michigan, 58; *exaptus*, in Michigan, 58.

Petrobia harti, in Michigan, 26-27; *latens*, in Michigan 27.

Petunia, 17-18, 20-21; *hybrida*, 17-18, 20-21.

phaeorrhoea, *Nygmia*, 117.

philadelphicus, *Erigeron*, 4.

Philadelphus coronarius, 19-20.

Philaenus, of Michigan, 11-15; *abjectus*, in Michigan, 11, 13; *bilineatus*, in

- Michigan, 11, 13; *lineatus*, 4, 13-14; *lineatus*, in Michigan, 13-14; *parallelus*, in Michigan, 13, 15; *spumarius*, 4, 12-15; *spumarius*, in Michigan, 12-15.
- Philampelinae, food plants of adults, 19-21.
- Phimodera*, species in Michigan, 37-38; *binotata*, in Michigan, 37-38.
- Phlox*, 17, 19, 22.
- pholus*, *Darapsa*, food plants and adults, 20; *fasciatus*, 20; *satellitica* *pandorus*, food plants of adults, 20.
- Physalis heterophylla*, 121.
- Pickerelweed, 19.
- Pieris*, 27.
- Pigweed, 49.
- Pine, 3, 4, 5, 9, 45, 56, 57; jack, 36; red, 5, 36; sawfly, 61; Scotch, 4; spittlebug, 3, 4-5; spittlebug in Michigan, 4-5; sugar, 57.
- Pine tree cricket, 85-86, 88.
- pini*, *Oecanthus*, 85-86, 88.
- Pinus*, 3, 4, 5.
- Pionidae*, North American species of *Hydrochoreutes*, 108-117.
- Pitcher plant, 10.
- placidus*, *Podisus*, in Michigan, 60.
- plana*, *Feltria*, a new species from North America, 75-78, 80.
- Plantaginaceae, 38, 39, 49, 53, 121, 122.
- plantaginifolia*, *Antennaria*, 41.
- Plantago aristata*, 38, 53, 121; *purshii*, 39; *rugelii*, 122.
- Plantain, 38, 39, 49, 53, 121, 122; buck-horn, 49; large bracted, 53.
- platani*, *Oligonychus*, 26.
- Plum, wild, 40.
- Poa compressa*, 120; *pratensis*, 120.
- Podisus*, 34, 59-61; key to Michigan species, 59; of Michigan, 59-61; *fretus*, in Michigan, 61; *maculiventris*, in Michigan, 59-60; *modestus*, in Michigan, 60; *placidus*, in Michigan, 60; *serieventris*, in Michigan, 60.
- podopioides*, *Prionosoma*, in Michigan, 53-54.
- Pokeberry, 53.
- politus*, *Euschistus*, in Michigan, 49-50.
- Polygonaceae, 4, 120.
- Polymitaecidae, list of species in the Michigan State University Entomology Museum, 100.
- polyplacophora*, *Feltria*, 81.
- Pontederia cordata*, 19.
- Poplar, 25.
- populi*, *Eotetranychus*, in Michigan, 25; *Tetranychus*, in Michigan, 25.
- Potamanthidae, list of species in the Michigan State University Entomology Museum, 100.
- Potamanthus myops*, 100; *neglectus*, 100; *rupus*, 101.
- Potato, 40, 48, 53.
- Potentilla intermedia*, 120.
- praepedita*, *Paraleptophlebia*, 99.
- praetiosa*, *Bryobia*, in Michigan, 24.
- pratense*, *Trifolium*, 19, 21, 49, 50, 52.
- pratensis*, *Poa*, 120; *Tragopogon*, 123.
- Primrose, evening, 18, 20, 49.
- Prionosoma*, species in Michigan, 53-54; *podopioides*, in Michigan, 53-54.
- projecta*, *Feltria echinopalpis*, a new subspecies from North America, 67-70.
- prolificum*, *Hypericum*, 7.
- Promethea moth, 60.
- propetes*, *Oligonychus*, in Michigan, 26.
- Prosapia*, of Michigan, 14-16; *bicincta ignipecta*, in Michigan, 14-16.
- Proserpinus flavofasciata*, food plants of adults, 21.
- Prosopis juliflora*, 46.
- Protambulyx*, 19.
- proteus*, *Clastoptera*, in Michigan, 8-10.
- prudentialis*, *Ephemerella (Eurylophella)*, 100.
- Prunus*, 18, 24, 26, 27, 40, 42, 45, 46, 49, 50, 51, 54.
- Pseudocloeon*, 98, 101; *anoka*, 98.
- pseudonietana*, *Arphia pseudonietana*, studies on the feculae, 119-126.
- pubescens*, *Ceanothus*, 36.
- pugnax*, *Oebalus*, in Michigan, 48-49.
- pulchella*, *Heptagenia*, 101; *Stenonema*, 99.
- pulicaria*, *Corimelaena*, in Michigan, 39-40.
- punctulatus griseus*, *Melanoplus*, an Orthopteran relict in Michigan, 85-89.
- punctulatus*, *Melanoplus punctulatus*, 85-89.
- purpurascens*, *Aristida*, 119.
- purshii*, *Plantago*, 39.
- pusillus*, *Amnestus*, in Michigan, 41.
- pyrrhocerus*, *Euschistus tristigmus*, in Michigan, 50-51.
- quadrangularis*, *Lepyronia*, 4, 10-12; in Michigan, 10, 12.
- quadrinotata*, *Aphrophora*, in Michigan, 4, 6, 8.

- quebecensis*, *Siphonurus*, 98.
Quercus, 6, 121; *rubra*, 121.
quinquemaculata, *Manduca*, food plants of adults, 17.
- racemosa*, *Aralia*, 57; *Smilacina*, 29.
 Radish, 48.
 Ragweed, 47.
Ranunculus, 40, 52.
rapidus, *Siphonurus*, 98.
 Raspberry, 19, 26, 28, 40, 42, 48, 49, 50, 51, 53; red, 28.
recurvata, *Hexagenia*, 100.
 Red cedar, 8; clover, 19, 21, 49, 50, 52; pine, 5, 36; raspberry, 28.
 Redtop grass, 38, 52.
reticulatus, *Philaenus*, 12.
Rhacognathus, species in Michigan, 58; *americanus*, in Michigan, 58.
Rhagoletis cingulata, early efforts to control in Michigan, 90-96; *fausta*, early efforts to control in Michigan, 90-96.
Rhithrogena, 99, 101, *impersonata*, 99; *sanguinea*, 99.
 Rhododendron, 18, 20.
rhois, *Blepharida*, 58.
 Rice, 48.
rigida, *Hexagenia*, 100; *Solidago*, 122.
robertianum, *Geranium*, 20.
Rosa, 26.
 Rosaceae, 26, 120.
rosea, *Heptagenia*, 99.
rubra, *Quercus*, 121.
rubricolus, *Bryobia*, 24.
Rubus, 5, 6, 19, 26, 28, 40, 49, 50, 53, 120.
rubromaculatum, *Stenonema*, 99.
rubrum, *Stenonema*, 99.
Rubus flagellaris, 120.
rufus, *Potamanthus*, 101.
rugellii, *Plantago*, 122.
 Rumex, 4, 120; *acetosella*, 120; *crispis*, 4.
 Russian thistle, 48.
 Rye wild, 50.
- sadleri*, *Isonychia*, 98.
saintcyri, *Clastoptera*, in Michigan, 9-10.
Salix, 25, 27, 45, 48, 49.
Salvia, 29.
Sanguinaria canadensis, 28.
sanguinea, *Rhithrogena*, 99.
sanguinipes, *Melanoplus sanguinipes*, studies on the feculae, 119-127.
Saponaria, 17-22, 24; *officinalis*, 17-22.
 Saratoga spittlebug, in Michigan, 4-7.
- saratogensis*, *Aphrophora*, in Michigan, 4-7.
satellitica pandorus, *Pholus*, food plants of adults, 20.
 Sawfly, 59, 60, 61; introduced pine, 59, 60; Larch, 59, 60; *Neodiprion excitans*, 61; pine, 61.
scabiosa, *Centaurea*, 21.
Schistocerca gregaria, 118.
schizopetiolatus, *Hydrochoreutes*, new species in North America, 115-116.
schizopus, *Schizotetranychus*, in Michigan, 27; *Tetranychus*, in Michigan, 27.
Schizotetranychus garmani, in Michigan, 27; *schizopus*, in Michigan, 27; *spireafolia*, in Michigan, 27.
schoenei, *Tetranychus*, in Michigan, 28.
Sciocoris, species in Michigan, 45-46; *microphthalmus*, in Michigan, 45-46.
scoparius, *Andropogon*, 12.
 Scotch pine, 4.
Scrophularia nodosa, 52.
sculleni, *Paraleptophlebia*, 99.
 Scutelleridae, key to the Michigan Genera, 35-36.
 Scutelleroidea, 34-63.
 Scutelleroidea, key to the families of, 34-35; of Michigan, 34-63.
 Sedge, 10-13.
 Sehirinae, of Michigan, 41-42.
Sehirus, key to Michigan subspecies, 41-42; *cinctus albonotatus*, in Michigan, 41-42; *cinctus cinctus*, in Michigan, 42, 44.
semivittata, *Trichopepla*, in Michigan, 47.
senta, *Haemorrhagia*, food plants of adults, 19.
Septanychus canadensis, in Michigan, 28.
sequoia, *Sphinx*, food plants of adults, 18.
serieventris, *Podisus*, in Michigan, 60.
Serratella, 100-101; *deficiens*, 100; *tibialis*, 100.
 Serviceberry, 55.
servus euschistoides, *Euschistus*, in Michigan, 49-50; *servus servus*, *Euschistus*, in Michigan, 49-50.
sessilifolium, *Desmodium*, 120.
Setaria, 48, 120; *glauca*, 120.
sexta, *Manduca*, food plants and adults, 17, 22.
 Shagbark history, 7.
 Shrubby St. John's-wort, 7.
signoreti, *Aphrophora*, 4, 6-7; *Aphrophora*, in Michigan, 6-7.
similis, *Feltria*, 83.

- simplex*, *Ephemerella* (*Dannella*), 99.
simpliciodens, *Heptagenia*, 99.
simulans, *Caenis*, 101; *Ephemerella*, 100, 101.
- Siphonuridae, list of species in the Michigan State University Entomology Museum, 98.
- Siphonurus*, 98, 101; *alternatus*, 98; *mirus*, 98; *occidentalis*, 98; *quebecensis*, 98; *rapidus*, 98; *typicus*, 98.
- Siphloplecton basale*, 99.
Siphylurus alternata, 101.
skokianus, *Callibaetis*, 98.
- Smerinthinae, food plants of adults, 19.
Smerinthus cerisyi, food plants of adults, 19; *geminatus*, food plants of adults, 19; *ocellatus*, 19.
- Smilacina racemosa*, 29.
 Snakeroot, button 47.
 Snap bean, 50.
 Snowberry, 19.
 Solanaceae, 121.
- Solidago*, 4, 11, 36, 47, 49, 53, 54, 122; *canadensis*, 4; *junceae*, 122; *nemoralis*, 122; *rigida*, 122.
- solitaria*, *Heptagenia*, 99.
Sonchus, 4.
 Spanish needles, 40.
speciosa, *Catalpa*, 18.
spectabilis, *Eragrostis*, 119.
Spharagemon bolli bolli, studies on the feculae, 119-125; *collare*, studies on the feculae, 119-125, 127.
- Sphecodina abbotti*, food plants of adults, 20.
- Sphingidae, food plants of adults, 17-23.
 Sphinginae, food plants of adults, 17-18.
- Sphinx*, food plants of adults, 18, 22; *chensis*, food plants of adults, 18; *drupeferarum*, food plants of adults, 18; *eremitus*, food plants of adults, 18; *gordius*, food plants of adults, 18; *kalmiae*, food plants of adults, 18, 20; *luscitiosa*, food plants of adults, 18; *perelegans*, food plants and adults, 18; *sequoia*, food plants of adults, 18.
- spica*, *Lavandula*, 21.
spicata, *Danthonia*, 119.
 Spikenard, 57.
 Spinach flea beetle, 57.
 Spine-breasted grasshopper, studies on the feculae, 118-127.
- spinifrons*, *Amnestus*, in Michigan, 41-42.
Spirea, 27, 28.
spireaefolia, *Schizotetranychus*, in Michigan, 27.
- Spittlebug, meadow, 4, 12-15; meadow, in Michigan, 12-15; pine, 3, 4-5; pine, in Michigan, 4-5; Saratoga, in Michigan, 4-7.
- Spittlebugs, of Michigan, 2-16; "tube-building", 2.
- spumarius*, *Philaenus*, 4, 12-15; in Michigan, 12-15.
Squash, 49, 51.
Stachys palustris, 42, 53.
Stenonema, 99, 101; *bipunctatum*, 99; *canadense*, 99; *femoratum*, 99; *frontale*, 99; *fuscum*, 99; *gildersleevei*, 99; *heterotarsale*, 99; *interpunctatum*, 99; *ithaca*, 99; *lepton*, 99; *minnetonka*, 99; *nepotellum*, 99; *pulchellum*, 99; *rubromaculatum*, 99; *rubrum*, 99; *tripunctatum*, 99; *varium*, 99; *vicarium*, 99.
- Stiretrus*, species in Michigan, 57; *anchorago fimbriatus*, in Michigan, 57.
- St. John's-wort, shrubby, 7
 Strawberry, 40, 48; leaf roller, 59.
stricta, *Oxalis*, 121.
strigosus, *Erigeron*, 122.
 striped cucumber beetle, 59.
subaequalis, *Cinygumula*, 99.
suffusus, *Epeorus* (*Iron*), 99.
 Sugar pine, 57.
 Sumac, 46, 48.
 Sunflower, 50, 51, 53; wild, 51.
 Swallowtail, black, 57, 59.
 Swamp thistle, 19.
 Sweetclover, 42, 47, 49, 50.
 Sweet fern, 5.
Symphoricarpos albus, 19.
Symplocarpus foetidus, 26, 28, 29.
syriaca, *Asclepias*, 19, 121.
Syringa vulgaris, 19-21.
- Tamarack, 5, 6, 9; tree cricket, an Orthopteran relict and Michigan, 85-86, 88.
tardata, *Caenis*, 101.
Taraxacum, 4, 19, 21, 24, 123; *officinale*, 19, 21, 24, 123.
- temporalis*, *Ephemerella* (*Eurylophella*), 100.
- Tent caterpillar, 56, 59, 60; eastern 59; forest, 60.
- Tenuipalpidae, of Michigan, 29-30.
- Tephritidae, early efforts to control cherry fruit flies in Michigan, 90-96.
- tersa*, *Xylophanes*, food plants of

- adults, 21.
- testacea*, *Clastoptera*, 4, 9-11; in Michigan, 9, 11.
- testudo*, *Azugofeltria*, a new species from North America, 81-83; *Feltria* 66; *Feltria*, a new species from North America, 81-83.
- Tetranychidae, of Michigan, 24-29.
- Tetranychus atlanticus*, in Michigan, 24, 27-28; *canadensis*, in Michigan, 28; *ilicis*, in Michigan, 24, 26; *medanieli*, in Michigan, 24, 28; *multidigituli*, in Michigan, 24-25.; *populi*, in Michigan, 25; *schizopus* in Michigan, 27; *schoenei*, in Michigan, 28; *ulmi*, in Michigan, 26; *ununguis*, in Michigan, 26; *urticae*, 28-29.
- Tetyra*, species in Michigan, 36; *bipunctata* (Herriet-Schaeffer), in Michigan, 36.
- Tetryrinae, 35; of Michigan, 36-37.
- thapsus*, *Verbascum*, 123.
- Thistle, 19, 21, 48, 49, 51, 53; Russian, 48; swamp, 19.
- Thuja*, 26, 30; *occidentalis*, 26.
- Thyanta*, key to Michigan species and subspecies, 54; of Michigan, 54-55; *custator*, in Michigan, 54; *pallido-virens accerra*, in Michigan, 54-55.
- thysbe*, *Haemorrhagia*, food plants of adults, 19.
- tibialis*, *Ephemerella* (*Serratella*), 100.
- Tilia*, 28.
- Timothy, 37, 49, 51.
- Timpanoga hecuba pacifica*, 100.
- Toadflax, 40, 48.
- Tobacco, 17, 49, 51.
- Tomato, 49, 50, 51, 54.
- Tortopus*, 101.
- Tragopogon pratensis*, 123.
- triacanthos*, *Gleditsia*, 25.
- Tricheopepla*, key to Michigan species, 47; *atricornis*, in Michigan, 47; *semivittata*, in Michigan, 47.
- Tricorythidae, list of species in the Michigan State University Entomology Museum, 100.
- Tricorythodes*, 100-101; *allectus*, 100; *atratus*, 100; *fallax*, 100.
- Trifolium pratense*, 19, 21, 49, 50, 52.
- trilineata*, *Neottiglossa*, in Michigan, 52-53.
- triphylum*, *Arisaema*, 24.
- triplex*, *Ephemera*, 100.
- tripunctatum*, *Stenonema*, 99.
- Trirhabda canadensis*, 58.
- tristigmus luridus*, *Euschistus*, in Michigan, 50; *pyrrhocerus*, *Euschistus*, in Michigan, 50-51.
- Turnip, 48, 54.
- typicus*, *Siphonurus*, 98.
- uhleri*, *Chlorochroa*, in Michigan, 48.
- ulmi*, *Panonychus*, in Michigan, 24, 26; *Tetranychus*, in Michigan, 26.
- Ulmus*, 26, 28.
- Umbelliferae, 47, 121.
- undata*, *Neottiglossa*, in Michigan, 52-53.
- undulosa*, *Ceratonia*, food plants of adults, 18.
- ungulatus*, *Hydrochoreutes*, 108, 114.
- ununguis*, *Oligonychus*, in Michigan, 26; *Tetranychus*, in Michigan, 26.
- Urtica*, 4.
- urticae*, *Tetranychus*, 28-29.
- Vaccinium*, 8, 9, 19.
- varia*, *Ephemera*, 100.
- variolarius*, *Euschistus*, in Michigan, 50-51.
- varium*, *Stenonema*, 99.
- venusta*, *Hexagenia limbata*, 100-101.
- Verbascum thapsus*, 123.
- Verbena*, 121.
- Verbenaceae, 121.
- versicolor*, *Ampeloeca*, food plants of adults, 20.
- Vetch, 19.
- vibrans*, *Habrophlebia*, 99.
- Viburnum carlesi*, 20.
- vicarium*, *Stenonema*, 99.
- Vicia*, 19.
- villosa*, *Lechea*, 121.
- Viola*, 19, 27, 28, 29; *canadensis*, 19.
- Violet, Canada, 19.
- virginicum*, *Lepidium*, 120.
- virginiensis*, *Feltria*, 83.
- viridescens*, *Hexagenia limbata*, 100-101.
- viridifasciata*, *Chortophaga*, 126.
- viridipes eurycercus*, *Melanoplus*, an Orthopteran relict in Michigan 85-86, 87, 89.
- viridipes*, *Melanoplus viridipes*, 85-86, 87-, 89.
- vitrea*, *Epeorus* (*Iron*), 99.
- vulgare*, *Echium*, 21.
- vulgaris*, *Syringa*, 19-21.
- Wax moth, 60.
- Webworm, 59, 60; caterpillar, 59; fall, 60.
- Wheat, 37, 40, 47, 48, 49, 50, 51, 54, 103.

White clover, 51.

Wild bergamot, 19; buckwheat, 48;
carrot, 4, 47, 49, 53, 121; currant,
19; cherry, 42; grape, 47, 52;
hydrangea, 49; plum, 40; rye, 50;
sunflower, 51, 53.

Willow, 25, 27, 45, 48, 49.

wyomingensis, *Feltria*, a new species
from North America, 74-75.

Xylophanes tersa, food plants of adults,
21.

Yarrow, 49, 50, 122.

Zicrona, species in Michigan, 61; *caerulea*,
in Michigan, 61.