

The  
**GREAT LAKES ENTOMOLOGIST**



**VOLUME VIII (1975)**

Irving J. Cantrall  
Editor

*PUBLICATION DATES*

Number 1	6 May 1975
Number 2	6 July 1975
Number 3	24 Oct. 1975
Number 4	1 Mar. 1976

*Published by*

THE MICHIGAN ENTOMOLOGICAL SOCIETY  
c/o Department of Entomology  
Michigan State University  
East Lansing, Michigan 48823, U.S.A.

# THE GREAT LAKES ENTOMOLOGIST

VOLUME VIII (1975)

## AUTHOR INDEX

- Baker, Norman T. and Roland L. Fischer. A Taxonomic and Ecologic Study of the Asilidae of Michigan, 31.
- Bayer, Lutz J. and H. Jane Brockmann. Curculionidae and Chrysomelidae found in Aquatic Habitats in Wisconsin, 219.
- Bernard, Ernest C. A New Genus, Six New Species, and Records of Protura from Michigan, 157.
- Bernard, Ernest C. A New Species of *Neelides* (Collembola: Neelidae) from the United States, 183.
- Bernard, Ernest C. New Species and Additional Records of Protura from Michigan, 187.
- Bright, John N. (See Wright, Jonathan W., Louis F. Wilson and John N. Bright), 231.
- Brockmann, H. Jane (See Bayer, Lutz, J. and H. Jane Brockmann), 219.
- Burton, John J. S. The Deer Flies of Indiana (Diptera: Tabanidae: *Chrysops*), 1.
- Butcher, J. W. (See Riedl, H. and J. W. Butcher), 135.
- Butcher, J. W. (See Riedl, H. and J. W. Butcher), 139.
- Cameron, H. D. The History of the Name *Panorpa* Linnaeus (Mecoptera), 93.
- Cutler, Bruce, Lee H. Grim and H. M. Kulman. A Study in the Summer Phenology of Dionychious Spiders from Northern Minnesota Forests, 99.
- Fischer, Roland L. (See Baker, Norman T. and Roland L. Fischer), 31.
- Flowers, R. Wills and William L. Hilsenhoff. Heptageniidae (Ephemeroptera) of Wisconsin, 201.
- Fowler, Richard F. and Louis F. Wilson. Projected Red Pine Yields from Aldrin-treated and Untreated Stands Damaged by White Grubs and other Agents, 227.
- Gloyd, Leonora K. Two Overlooked References for Gynandromorphic Specimens of Odonata, 155.
- Grim, Lee H. (See Cutler, Bruce, Lee H. Grim and H. M. Kulman), 99.
- Hilsenhoff, William L. (See Flowers, R. Wills and William L. Hilsenhoff), 201.
- Kulman, H. M. (See Cutler, Bruce, Lee H. Grim and H. M. Kulman), 99.
- Mattson, William J. Abundance of Insects Inhabiting the Male Strobili of Red Pine, 237.
- McCafferty, W. P. (See Provonsha, A. V. and W. P. McCafferty), 105.
- Nelson, M. L. (See Viedma, M. G. de and M. L. Nelson), 111.
- Pinkowski, Benedict C. Pesticide Effects on Orthopteroid Distribution in Southern Michigan Farmlands, 197.
- Provonsha, A. V. and W. P. McCafferty. New Techniques for Associating the Stages of Aquatic Insects, 105.

- Riedl, H. and J. W. Butcher. Rearing of *Scolytus multistriatus* (Marsham) (Scolytidae: Coleoptera) for Toxicological Experiments, 135.
- Riedl, H. and J. W. Butcher. Aspects of the Feeding Behavior of *Scolytus multistriatus* (Marsham) (Scolytidae: Coleoptera) and Implications for Control, 139.
- Talbot, Mary. Habitats and Populations of the Ant *Stenamamma diecki* Emery in Southern Michigan, 241.
- Talbot, Mary. A List of the Ants (Hymenoptera; Formicidae) of the Edwin S. George Reserve, Livingston County, Michigan, 245.
- Viedma, M. G. de and M. L. Nelson. Current Classification of the Families of Coleoptera, 111.
- Wright, Jonathan W., Louis F. Wilson and John N. Bright. Genetic Variation in Resistance of Scotch Pine to Zimmerman Pine Moth, 231.
- Wilson, Louis F. Spatial and Seasonal Distribution of Pine Root Collar Weevil Eggs in Young Red Pine Plantations, 115.
- Wilson, Louis F. Spatial Distribution of Egg Clusters of the European Pine Sawfly *Neodiprion sertifer* (Geoff.), in Young Pine Plantations in Michigan, 123.
- Wilson, Louis F. Notes on the Biology and Parasitoids of the Sweet Fern Underwing (Lepidoptera: Noctuidae) in Michigan, 145.
- Wilson, Louis F. (See Fowler, Richard F. and Louis F. Wilson), 227.
- Wilson, Louis F. (See Wright, Jonathan W., Louis F. Wilson and John N. Bright), 231.

## SUBJECT INDEX

- abdominalis*, *Dasyopogon*, 48; *Holcocephala*, 48, 49.
- aberrans*, *Chrysops*, 4, 10, 11, 25, 26.
- Acanthomyops*, 245; *claviger*, 246; *interjectus*, 246; *latipes*, 246; *murphyi*, 246; *subglaber*, 246.
- Acerella*, 177.
- Acerentomidae, 157, 176, 181, 193-195.
- Acerentomon americanum*, 176; *confine*, 176, 193.
- Acerentulus*, 176, 177, 193; *barberi*, 176; *confinis*, 157, 176, 187, 193.
- Acrididae, 86, 87.
- aeatus*, *Laphria*, 52, 54, 55; complex *Laphria*, 31, 52-54.
- Aedes*, 41.
- aequalis*, *Donacia*, 220-222.
- Aeschnidae, 81.
- aestuans*, *Asilus*, 74; *Chrysops*, 4, 5, 9, 11, 13, 24; *Erax*, 37.
- affine*, *Stenonema*, 212.
- Agelenidae, 99.
- Agrion maculatum*, 155.
- Agroeca emertoni*, 103; *ornata*, 101-103; *pratensis*, 103.
- aktis*, *Laphria*, 53, 56.
- alabamae*, *Stenonema*, 213.
- alaskensis*, *Pikonema*, 152.
- albibarbis*, *Efferia*, 74; *Erax*, 75.
- albipilosa*, *Cerotainia*, 39.
- albius*, *Dioctria*, 44.
- aleins*, *Lasius*, 241, 242, 246.
- altitudinum*, *Laphria*, 53, 56, 66.
- Amauriobiidae, 99.
- ambiguus*, *Leptothorax*, 243, 245.
- Amblyopone*, 245; *pallipes*, 242, 245.
- Amblyteles* sp., 64.
- Amerentulus*, 176, 193; *americanus*, 157, 176, 187, 193.
- americana*, *Myrmecina*, 242, 245; *Myrmica*, 245.
- americanum*, *Acerentomon*, 176.
- americanus*, *Amerentulus*, 157, 176, 187, 193; *Bagous*, 225; *Camponotus*, 246.
- Anchodemus*, 225; *angustus*, 225.
- Andrenosoma*, 35-37; *dorsatum*, 36; *fulvicauda*, 36, 37; *ridingsi*, 36.
- Andrenosomini, 35.
- Anepeorus simplex*, 201.
- angustus*, *Anchodemus*, 225.
- annulipes*, *Hyposoter*, 148, 150.
- Anomala* sp., 64.
- Anthophora furcata terminialis*, 46.
- antimachus*, *Asilus*, 76; *Machimus*, 76, 77.
- antinympha*, *Catocala*, 145-153.
- antrimense*, *Eosentomon*, 187-190, 195.
- Ants, 47, 49, 241-246.

*apachus*, *Polistes*, 85.  
*Aphaenogaster fulva*, 245; *rudis*, 245; *tennesseensis*, 245; *treatae*, 245.  
*Aphodius* sp., 64.  
*aphrodite*, *Heptagenia*, 201.  
*apiculata*, *Pardalophora*, 198.  
 Apidae, 43, 46, 60, 86, 87.  
*Apis mellifera*, 60, 85-87.  
*aquilinum*, *Pteridium*, 63.  
 Arachnids, 70.  
*areion*, *Stenonema*, 212.  
*arenaria*, *Vespula*, 38, 39.  
*argenteus*, *Stichopogon*, 69.  
*Argyrotoxa semipurpurana*, 83.  
*Arphia p. pseudonietana*, 198; *sulphurea*, 198.  
*Arthroplea*, 203; *bipunctata*, 202, 203, 207-209.  
 Asilidae, 31-91.  
*Asilinae*, 32, 35, 71-88.  
 Asilini, 71.  
*Asilus*, 31, 32, 71-73; *aestuans*, 74; *anti-machus*, 76; *auricomus*, 71, 72; *autumnalis*, 77; *avidus*, 81; *crabroniformis*, 31, 71; *erythrocnemius*, 77; *flavofemoratus*, 83; *gilvus*, 61; *latipennis*, 74; *maneei*, 78; *notatus*, 78; *novaescotiae*, 80; *orphne*, 83; *paropus*, 81; *piceus*, 71-73; *pogonias*, 75; *sadyates*, 81; *sericeus*, 34, 71-73; *snowii*, *virginicus*, 82.  
*atlanticus*, *Chrysops*, 13, 16.  
*Atlanticus testaceus*, 198, 199.  
*Atomosia*, 35, 37-38; *puella*, 37, 38; *rufipes*, 37, 38.  
 Atomosini, 35.  
*atrox*, *Dasylechia*, 35, 43; *Hyperochia*, 43.  
*aurulentus*, *Ceraturgus*, 38; *Dasypogon*, 38.  
*auricomus*, *Asilus*, 71, 72.  
*australicum*, *Eosentomon*, 187, 188.  
*autumnalis*, *Asilus*, 77; *Machimus*, 76, 77.  
*avidus*, *Asilus*, 81.  
  
*Baetis canadense*, 212; *fusca*, 211; *interpunctata*, 212.  
*Bagous*, 224, 225; *americanus*, 225; *carinatus*, 225; *longirostris*, 225.  
*barbatum*, *Pogomyrmex*, 87.  
*barberi*, *Acerentulus*, 176; *yamatentomon*, 157, 176.  
*basalis*, *Diogmites*, 45, 46.  
*bastardii*, *Promachus*, 87.  
*baumhaueri*, *Dioctria*, 44, 45.  
*beameri*, *Chrysops*, 4, 10, 12, 22, 24.  
*bellum*, *Stenonema*, 215.  
 Bembicidae, 86.  
*Bembix* sp., 86.  
*benefactor*, *Olesicampe*, 152.  
*Berberentulus*, 187, 193-195; *macqueeni*, 187, 193-195; *polonicus*, 195.  
*bicolor*, *Lampria*, 51; *Laphria*, 51.  
*biimpresa*, *Donacia*, 220-222.  
*bimacula*, *Cyrtopogon*, 40.  
*bimaculata*, *Melissodes*, 43.  
*bipunctata*, *Arthroplea*, 202, 203, 207-209; *Cinygma*, 208.  
*bipunctatum*, *Stenonema*, 203, 206-208, 213, 214, 216.  
*bipunctatus*, *Ecdyonurus*, 213.  
*bivittatus*, *Melanoplus*, 198.  
*Bombomima*, 57; *huron*, 62; *royalensis*, 65.  
*Bombus impatiens*, 67; sp., 85; *vagans*, 67.  
 Bombyliidae, 76, 80.  
 Boo-Hoo fly, 86.  
*borealis*, *Phrurotimpus*, 103.  
*Brachymyrmex depilis*, 243, 246.  
*brachyptera*, *Pseudopomala*, 198, 199.  
 Braconidae, 148, 150.  
*bradleyi*, *Microplitis*, 150-152.  
*brassicae*, *Eosentomon*, 157, 167-170.  
*brevicornis*, *Stenamma*, 241, 243, 245.  
*brevicornis*, *Dendroctonus*, 236.  
*brunneus*, *Chrysops*, 4, 9, 12, 13, 16.  
*bryantae*, *Oxyptila*, 100, 102-104.  
*buoliana*, *Rhyacionia*, 81, 231.  
 Buprestidae, 37.  
  
*callidus*, *Chrysops*, 4, 6, 8, 9, 11, 13, 14, 24.  
 Calliphoridae, 80.  
*Calloptistria monetifera*, 80, 87.  
*calva*, *Discocephala*, 49; *Holcocephala*, 48, 49.  
*calvescenta*, *Laphria*, 31, 53, 56-58.  
*calvus*, *Chrysops*, 21.  
*calycullata*, *Cassandra*, 63.  
*Camponotus americanus*, 246; *caryae*, 246; *pennsylvanicus*, 246; *nearcticus*, 246; *noveboracensis*, 242, 246.  
*canadense*, *Baetis*, 212; *Stenonema*, 212.  
*canadensis*, *Clubiona*, 103.  
*canis*, *Laphria*, 52, 54, 55, 58, 59; complex, *Laphria*, 31, 52, 58.  
*Canthon* sp., 87.  
*capitata*, *Lespedeza*, 63.  
*carbonarius*, *Chrysops*, 8, 13, 14.  
*carinatus*, *Bagous*, 225.  
*carolina*, *Dissosteira*, 198.  
*caroliniana*, *Lespedeza*, 63.  
*Carya* sp., 63.  
*caryae*, *Camponotus*, 246.  
*Cassandra calycullata*, 63.  
*Castianeira cingulata*, 103.  
*Catocala antinympa*, 145-153.  
*celatus*, *Chrysops*, 4, 9, 14, 16.

- centralis*, *Pseudiron*, 201.  
 Cerambycidae, 64, 87.  
*cerasi*, *Crematogaster*, 245.  
 Ceratopogonid, 49.  
*Ceraturgus*, 36, 38-39; *aurulentus*, 38;  
*cruciatius*, 38.  
*Cerdistus*, 71, 74; group, 71; *latipennis*,  
 72, 74.  
*Cerotainia*, 35, 39-40; *albipilosa*, 39;  
*macrocera*, 39, 40.  
*Chaetophleps* sp., 150.  
 Chalicidae, 37.  
 Chironomidae, 49, 69.  
 Chloropidae, 37, 69.  
*Choerades*, 57, 58.  
*Choristoneura pinus*, 237.  
*Chorthippus c. curtipennis*, 198, 199.  
*Chortophaga viridifasciata*, 198.  
*Chrysobothris femorata*, 37.  
*Chrysogaster*, 41.  
 Chrysomelidae, 80, 219-224.  
 Chrysomelinae, 219, 223-224.  
*Chrysophaneus* sp., 73.  
*Chrysophila* sp., 83.  
*Chrysops*, 1-29; *aberrans*, 4, 10, 11, 25,  
 26; *aestuans*, 4, 5, 9, 11, 13, 24;  
*atlanticus*, 13, 16; *beameri*, 4, 10,  
 12, 22, 24; *brunneus*, 4, 9, 12, 13, 16;  
*callidus*, 4, 6, 8, 9, 11, 13, 14, 24;  
*calvus*, 21; *carbonarius*, 8, 13, 14;  
*celatus*, 4, 9, 14, 16; *cincticornis*, 4,  
 5, 8, 14, 15, 21; *cuclux*, 4, 5, 8,  
 15; *dacne*, 9, 15; *dimmocki*, 10, 16;  
*flavidus*, 4, 9, 13, 14, 16, 17, 23;  
*frigidus*, 10, 16, 17; *geminatus*, 4,  
 10, 17, 18; *hinei*, 12; *impunctus*, 4,  
 5, 8, 17, 18; *indus*, 4, 5, 10, 18, 19;  
*luteopennis*, 5; *macquarti*, 4, 10,  
 19, 20, 22; *moechus*, 4, 8, 10, 19,  
 20; *montanus*, 4, 10, 20, 21; *niger*,  
 4, 5, 8, 21; *pikei*, 4, 6, 10, 22, 24;  
*pudicus*, 2, 4, 6, 9, 16, 22-24;  
*reicherti*, 2, 4, 5, 8, 9, 14, 16, 23,  
 24; *sackeni*, 4, 9, 13, 23, 24;  
*sequax*, 4, 8, 10, 12, 15, 22, 24, 25;  
*sequax tau*, 25; *tau*, 25; *striatus*, 4,  
 10, 25, 26; *univittatus*, 2, 4, 9, 19,  
 26, 27; *vittatus*, 2, 4, 5, 10, 26, 27;  
*wiedemanni*, 27.  
 Cicadidae, 67.  
 Cicadellidae, 80, 86.  
*Cicidela longilabris*, 64; sp., 86.  
*cincticornis*, *Chrysops*, 4, 5, 8, 14, 15, 21;  
*Donacia*, 221, 222.  
*cinerea*, *Dasyllis*, 59; *Laphria*, 53, 59.  
*cingulata*, *Castianeira*, 103.  
*Cinygma bipunctata*, 208.  
*claviger*, *Acanthomyops*, 246.  
*Clubonia* sp., 103; *canadensis*, 103;  
*kastoni*, 103.  
 Clubionidae, 99, 103.  
 Coleoptera, 111-121, 135-144, 219-226;  
 classification of families, 111-114.  
 Collecting techniques, 105-109.  
 Collembola, 183-186.  
 Cone worm, 237  
*confine*, *Acerentomon*, 176-193.  
*confinis*, *Acerentulus*, 157, 176, 187, 193  
*confusus*, *Melanophus*, 198.  
*conjunctum*, *Stenonema*, 212.  
*Conomyrma pyramicus*, 246.  
*Cordulegaster* sp., 81.  
 Coreidae, 87.  
*crabroniformis*, *Asilus*, 31, 71.  
*Crambus* sp., 80.  
*creightoni*, *Formica*, 246.  
*Crematogaster*, 245; *cerasi*, 245; *lineolata*,  
 245.  
 Cribellata, 99.  
*cruciatius*, *Ceraturgus*, 38; *Dasyopogon*, 38.  
*cuclux*, *Chrysops*, 4, 5, 8, 15.  
 Culicidae, 41.  
*Culicoides*, 49.  
 Curculionidae, 219, 224-225.  
*curtipennis curtipennis*, *Chorthippus*, 198,  
 199.  
*curvispinosus*, *Leptothorax*, 245.  
 Cyrtacanthacridinae, 199.  
*Cyrtopogon*, 36, 40-43; *bimacula*, 40;  
*falto*, 40, 41; *lutiatus*, 40, 41;  
*marginalis*, 40, 42; *varans*, 40, 42,  
 43; *vulneratus*, 40, 43.  
*dacne*, *Chrysops*, 9, 15.  
*dakotensis*, *Formica*, 246.  
 Damalini, 35.  
*Dasylechia*, 35, 43-44; *atrox*, 35, 43.  
*Dasyllis cinerea*, 59; *divisor*, 60; *insignis*, 63.  
*Dasyopogon*, 31, 32; *abdominalis*, 48;  
*aurulentus*, 38; *cruciatius*, 38.  
 Dasyopogoninae, 32, 35-71.  
 Dasyopogonini, 35.  
 Deer flies, 1-29.  
*Dendroctonus brevicornis*, 236.  
*depilis*, *Brachymyrmex*, 243, 246.  
*diabasia*, *Heptagenia*, 202, 203, 206, 207,  
 209-211.  
*Dichelonyx* sp., 66, 83.  
*diecki*, *Stenammas*, 241-245.  
*dimidiatus*, *Promachus*, 85.  
*dimmocki*, *Chrysops*, 10, 16.  
*Dioctria*, 36, 41, 44-45; *albius*, 44; *baum-*  
*haueri*, 44, 45; *propinqua*, 44, 45.  
 Dioctriini, 35.  
 Diogmites, 36, 45-48; *basalis*, 45, 46;  
*discolor*, 45, 46, 86; *misellus*, 45,

- 47; *neoternatus*, 45, 47; *platypterus*, 45, 47; *symmachus*, 87.
- Dionychia, 99-104.
- Dioryctria disclusa*, 237; *zimmermani*, 231-236.
- Diptera, 1-91, 148, 150.
- disclusa*, *Dioryctria*, 237.
- Discocephala calva*, 49.
- discolor*, *Diogmites*, 45, 46, 86.
- discontinua*, *Myrmica*, 245.
- discretum*, *Proturentomon*, 171.
- disparella*, *Laphria*, 31, 52, 54, 55.
- Dissosteira carolina*, 198.
- distincta*, *Donacia*, 220-222.
- diversa*, *Plateumaris*, 223.
- divisor*, *Dasyllis*, 60; *Laphria*, 53, 60.
- Dolichoderus mariae*, 246; *plagiatus*, 246; *pustulatus*, 246; *taschenbergi*, 246.
- domestica*, *Musca*, 80.
- Donacia*, 219-222; *aequalis*, 220-222; *biimpressa*, 220-222; *cincticornis*, 221, 222; *distincta*, 220-222; *fulgens*, 221, 222; *hirticollis*, 219; *hypoleuca*, 221, 222; *piscatrix*, 220, 222; *porosicollis*, 220-222; *proxima*, 221, 222; *pubescens*, 220, 222; *pubicollis*, 220, 222; *quadricollis*, 220, 222; *rufescens*, 221, 222; *subtilis*, 221, 222; *texana*, 221, 222; *tuberculifrons*, 220-223.
- Donaciinae, 219-223.
- dorsata*, *Laphria*, 36.
- dorsatum*, *Andrenosoma*, 36.
- Dorymyrmex*, 246; *pyramicus*, 245, 246.
- Draeculacephala mollipes*, 80.
- Drassylus* sp., 103; *niger*, 101, 103.
- Drosophila* sp., 37.
- Drosophilidae, 37.
- duloticus*, *Leptothorax*, 245.
- dureyi*, *Eosentomon*, 167.
- dusun*, *Eosentomon*, 189.
- Eastern white-pine shoot borer, 231.
- Ecdyonurus*, 201; *bipunctatus*, 213; *heterotarsale*, 212; *mediopunctatus*, 215; *rivulicolus*, 214; *ruber*, 215.
- Ecdyurus grandis*, 211; *lucidipennis*, 210; *pullus*, 211.
- Ecthodopa*, 36, 44, 48; *pubera*, 48.
- Efferia*, 32, 71, 74, 75; *aestuans*, 74; *albibarbis*, 74, 75; *pogonias*, 74, 75.
- Elateridae, 64, 83.
- elegans*, *Xysticus*, 103.
- elegantula*, *Heptagenia*, 210.
- ellipticus*, *Xysticus*, 103.
- emarginata*, *Plateumaris*, 223.
- emertoni*, *Agroeca*, 103.
- emeryana*, *Myrmica*, 245.
- Enallagma vesperum*, 155.
- Encoptolophus s. sordidus*, 198.
- Endalus*, 225; *limatulus*, 225.
- ensiger*, *Neoconocephalus*, 198.
- Eosentomidae, 159.
- Eosentomon*, 157-171, 187-191; *antrimense*, 187-190, 195; *australicum*, 187, 188; *brassicae*, 157, 167-170; *dureyi*, 167; *dusun*, 189; *gimangi*, 189; *machadoi* group, 189; *pallidum*, 163; *pinusbanksianum*, 187, 189, 190, 191; *pomari*, 157, 165-169; *pruni*, 157, 159-162, 163, 170; *saharensis*, 162; *saharensis* group, 162; *sociale*, 157, 161-165, 170; *tokiokai*, 166; *udagawai*, 162-164, 169, 191; *vermiforme*, 157, 159, 160; *wheeleri*, 157, 159, 160, 187; *westraliense*, 166.
- Epargyreus tityrus*, 73.
- Epeorus*, 211; *undulatus*, 212; *vitrea*, 202, 203, 207, 209, 210.
- Ephemeroptera, 201-218.
- Epilobium*, 61.
- Epiphragma solatrix*, 81.
- Erax aestuans*, 37; *albibarbis*, 75.
- erichsonii*, *Pristophora*, 152.
- Erihrinini, 224.
- Eristalis*, 46, 60, 88; *tenax*, 87.
- erythrocnemius*, *Asilus*, 77; *Machimus*, 76-78.
- Eucordylea* sp., 237.
- Eucosma gloriola*, 231.
- European pine sawfly, 123-134, 231.
- European pine shoot moth, 81, 231.
- eurycerus*, *Melanoplus viridipes*, 198, 199.
- Euschistus* sp., 60.
- Evania* sp., 37.
- Evaniidae, 37.
- exiguum*, *Stenonema*, 202, 205, 207, 208, 213-215.
- exsectoides*, *Formica*, 246.
- fallax*, *Protentomon*, 174.
- falto*, *Cyrtopogon*, 40, 41.
- fasciatus*, *Nemobius*, 198.
- femorata*, *Chrysobothris*, 37.
- femoratum*, *Stenonema*, 216.
- femur-rubrum femur-rubrum*, *Melanoplus*, 198.
- ferox*, *Xysticus*, 103.
- ferruginea*, *Nephrotoma*, 80.
- filiformis*, *Lixellus*, 225.
- fitchii*, *Promachus*, 87, 88.
- flavescens*, *Heptagenia*, 202, 203, 206, 207, 209; *Palingenia*, 210.
- flavescens-nec*, *Heptagenia*, 215.
- flavicollis*, *Laphria*, 52, 53, 60.
- flavidus*, *Chrysops*, 4, 9, 13, 14, 16, 17, 23.

*flavofemoratus*, *Asilus*, 83; *Neoitamus*, 83.  
*flavus*, *Lasius*, 243, 246.  
Flower moth, 237.  
Flowering mock orange, 45.  
*folsomi*, *Neelides*, 186.  
*Formica creightoni*, 246; *dakotensis*, 246;  
*glacialis*, 246; *lasioides*, 246; *ex-*  
*sectoides*, 246; *fusca*, 82, 246; *fusca*  
group, 245; *microgyna* group, 246;  
*neogagates*, 246; *neorufibarbis*,  
246; *nepticula*, 246; *nitidiventris*,  
246; *obscuripes*, 245, 246; *obscuri-*  
*ventris*, 246; *pallidefulva*, 246;  
*pergandei*, 246; *rubicunda*, 246;  
*sanguinea* group, 245, 246; *schau-*  
*fussi*, 246; *subintegra*, 246; *sub-*  
*nuda*, 246; *subsericea*, 246; *ulkei*,  
245, 246; *vinculans*, 246.  
Formicidae, 46, 82, 87, 241-246.  
*fracticornis*, *Myrmica*, 245.  
*frigidus*, *Chrysops*, 10, 16, 17.  
*frontale*, *Stenonema*, 212.  
*frontalis*, *Heptagenia*, 212.  
*fulgens*, *Donacia*, 221, 222.  
Fulgoridae, 82.  
*fultoni*, *Oecanthus*, 198.  
*fulva*, *Aphaenogaster*, 245.  
*fulvicauda*, *Andrenosoma*, 36, 37; *Laphria*,  
37.  
*fulvipes*, *Plateumaris*, 223.  
*furcata terminalis*, *Anthophora*, 46.  
*fusca*, *Baetis*, 211; *Formica*, 82, 246;  
*Heptagenia*, 214; *Holcocephala*, 48,  
49.  
*fusca* group, *Formica*, 245.  
*fuscum*, *Stenonema*, 202, 203, 205-208,  
214, 215.  
*Galerucella*, 224.  
Galerucinae, 219, 224.  
Gelechiidae, 237.  
*geminatus*, *Chrysops*, 4, 10, 17, 18.  
Geometridae, 80  
*germari*, *Plateumaris*, 223.  
*gilva*, *Laphria*, 53, 61.  
*gilvus*, *Asilus*, 61.  
*gimangi*, *Eosentomon*, 189.  
*glacialis*, *Formica*, 246.  
*gladiator*, *Orchelimum*, 198.  
*gloriola*, *Eucosma*, 231.  
*Gnaphosa parvula*, 101, 103; *sericata*, 103.  
Gnaphosidae, 99, 103.  
Gomphocerinae, 199.  
*Gracilentulus*, 177.  
*grandis*, *Ecdyurus*, 211.  
Grasshoppers, 70.  
*Gryllus pennsylvanicus*, 198, 199; *veletis*,  
198, 199.  
*guttula*, *Holopogon*, 50.

Hahniidae, 99.  
Halictidae, 37.  
*Hamamelis*, 45.  
*Haplodrassus hiemalis*, 103.  
*hebe*, *Heptagenia*, 202, 203, 205-207, 209,  
210.  
*Helianthus* sp., 63.  
Hemerobiidae, 237.  
*Hemicrepidius*, 66.  
Hemiptera, 237.  
*Heptagenia*, 201, 202, 206, 210, 213;  
*aphrodite*, 201; *diabasia*, 202, 203,  
206, 207, 209-211; *elegantula*, 210;  
*flavescens*, 202, 203, 206, 207,  
209; *flavescens-nec*, 215; *frontalis*,  
212; *fusca*, 214; *hebe*, 202, 203,  
205-207, 209, 210; *impersonata*,  
211; *inconspicua*, 201; *integer*, 215;  
*lucidipennis*, 202, 203, 206, 207,  
210; *maculipennis*, 201; *per-*  
*frimplex*, 201; *pulla*, 202, 203, 206,  
207, 209, 211; *tripunctata*, 216.  
Heptageniidae, 201-218.  
Hesperiidae, 73.  
*heterotarsale*, *Ecdyonurus*, 212; *Steno-*  
*nema*, 212.  
*hiemalis*, *Haplodrassus*, 103.  
*hinei*, *Chrysops*, 12; *Proctacanthus*, 85.  
*Hippelates* sp., 37.  
*hirticollis*, *Donacia*, 219.  
*hirticornis*, *Leptothorax*, 246.  
*Holcocephala*, 35, 48, 49; *abdominalis*, 48,  
49; *calva*, 48, 49; *fusca*, 48, 49.  
*Holopogon*, 36, 49-51; *guttula*, 50; *oriens*,  
50, 51; *phaeonotus*, 50; *snowi*, 37;  
*tibialis*, 83; *vockerothi*, 50, 51.  
Homoptera, 70.  
Honeybee, 67, 86.  
*huron*, *Bombomima*, 62; *Laphria*, 52, 62.  
Hydronomi, 224.  
*Hydrothassa*, 224; *obliquata*, 224; *vittata*,  
224.  
*Hylobius radicis*, 115-121, 231.  
Hymenoptera, 46, 47, 70, 73, 123-135,  
148, 150, 237, 241-246.  
*Hyperechia atrox*, 43.  
*Hyperplatys* sp., 64.  
*hypoleuca*, *Donacia*, 221, 222.  
*Hyposoter annulipes*, 148, 150.  
Ichneumonidae, 148, 150.  
*impar*, *Stenammina*, 241, 244, 245.  
*imparis*, *Prenolepis*, 246.  
*impatiens*, *Bombus*, 67.  
*impersonata*, *Heptagenia*, 211; *Rhith-*  
*rogena*, 202, 203, 205, 208, 209,  
211, 212.  
*impunctus*, *Chrysops*, 4, 5, 8, 17, 18.  
*incompleta*, *Myrmica*, 245.

- inconspicua*, *Heptagenia*, 201.  
*index*, *Laphria*, 52, 54, 62, 63; complex,  
*Laphria*, 31, 52, 53, 62.  
*indus*, *Chrysops*, 4, 5, 10, 18, 19.  
*insertus*, *Meneclis*, 87.  
*insignis*, *Dasyllis*, 63; *Laphria*, 53, 63.  
*integer*, *Heptagenia*, 215.  
*integrum*, *Stenonema*, 202, 206-208, 214,  
215.  
*interjectus*, *Acanthomyops*, 246.  
*interpunctata*, *Baetis*, 212.  
*interpunctatum*, *Stenacron*, 203, 205,  
208-210, 212; *stenonema*, 212.  
*iowaense*, *Proturentomon*, 157, 170, 171,  
187, 191.  
*Itame pustularia*, 80.  
*ithaca*, *Stenonema*, 201.  
*ithypyga*, *Laphria*, 52, 54, 62, 63.  
  
Jack pine budworm, 237.  
*janus*, *Laphria*, 53, 64.  
*jejuna*, *Rhithrogena*, 202, 203, 205, 208,  
209, 211, 212.  
  
*kastoni*, *Clubiona*, 103.  
  
Lacewings, 237.  
*Lampria*, 35, 51; *bicolor*, 51.  
*Laphria*, 31, 32, 34, 36, 51-67; *aeatus*, 52,  
54, 55; *aeatus* complex, 31; *aktis*,  
53, 56; *altitudinum*, 53, 56, 66;  
*bicolor*, 51; *calvescenta*, 31, 53,  
56-58; *canis*, 52, 54, 55, 58, 59;  
*canis* complex, 31; *cinerea*, 53, 59;  
*disparella*, 31, 52, 54, 55; *divisor*,  
53, 60; *dorsata*, 36; *flavicollis*, 52,  
53, 60; *fulvicauda*, 37; *gilva*, 53, 61;  
*huron*, 52, 62; *index*, 52, 54, 62, 63;  
*index* complex, 31; *insignis*, 53, 63;  
*ithypyga*, 52, 54, 62, 63; *janus*, 53,  
64; *macrocera*, 39; *posticata*, 53,  
64; *puella*, 37; *royalensis*, 53, 65;  
*sacrator*, 53, 65; *sadales*, 53, 65;  
*scorpio*, 52, 54, 55; *sericea*, 53, 66;  
*sicula*, 52, 54, 58, 59; *thoracica*, 53,  
67; *winnemana*, 52, 54, 58, 59.  
  
Laphriinae, 32.  
Laphriini, 35.  
Larch sawfly, 152.  
*lasioides*, *Formica*, 246.  
*Lasiopogon*, 36, 67-69; *opaculus*, 67, 68;  
*terricola*, 67, 68; *tetragrammus*, 67,  
68.  
*Lasius* 245; *alienus*, 241, 242, 246; *flavus*,  
243, 246; *minutus*, 242, 246;  
*nearcticus*, 246; *neoniger*, 246;  
*pallitarsus*, 241, 242, 245, 246; sp.,  
49; *speculiventris*, 242, 246; *umbratus*,  
246.  
  
*latipennis*, *Asilus*, 74; *Cerdistus*, 72, 74.  
*latipes*, *Acanthomyops*, 246.  
*lemnae*, *Tanysphyrus*, 226.  
Lepidoptera, 73, 145-153, 237.  
*Leptalea* sp., 46.  
*Leptogaster*, 31, 32.  
Leptogastridae, 32, 35.  
Leptogastrinae, 32.  
*Leptoglossus phyllopus*, 87.  
*Leptothorax ambiguus*, 243, 245; *curvi-*  
*spinus*, 245; *duloticus*, 245; *hirti-*  
*cornis*, 246; *longispinosus*, 242,  
245; *muscorum*, 242, 245; *schaumi*,  
245; *texanus*, 245.  
*limatulus*, *Endalus*, 225.  
*lineolata*, *Crematogaster*, 245.  
Linyphiidae, 99, 104.  
*Lissorhynchus*, 224, 225; *simplex*, 224,  
225.  
*Lixellus*, 225; *filiiformis*, 225.  
Locusts, 94-96.  
*longilabris*, *Cicindela*, 64.  
*longispinosus*, *Leptothorax*, 242, 245.  
*longirostris*, *Bagous*, 225.  
Lucanidae, 66.  
*lucidipennis*, *Ecdyurus*, 210; *Heptagenia*,  
202, 203, 206, 207, 210.  
*lucidus*, *Acanthomyops*, 246.  
*luctuosus*, *Xysticus*, 103.  
*luteopennis*, *Chrysops*, 5.  
*luteum*, *Stenonema*, 201.  
*lutiatius*, *Cyrtopogon*, 40, 41.  
Lycaenidae, 73.  
Lycosidae, 99, 104.  
*Lygus* sp., 60.  
  
machadoi group, *Eosentomon*, 189.  
*Machimus*, 31, 32, 72, 76-87; *antimachus*,  
76, 77; *autumnalis*, 76, 77; *erythro-*  
*cnemius*, 76-78; *maneei*, 76, 78;  
*notatus*, 76, 78-80; *novaescotiae*,  
76, 80; *paropus*, 76, 81; *sadyates*,  
76, 81, 82; *snowii*, 76, 82; *virgini-*  
*cus*, 31, 76, 78, 79, 82, 83.  
*macquarti*, *Chrysops*, 4, 10, 19, 20, 22.  
*macqueeni*, *Berberentulus*, 187, 193-195.  
*macrocera*, *Cerotainia*, 39, 40. *Laphria*,  
39.  
*Macroductylus* sp., 64.  
*maculatum*, *Agriion*, 155.  
*maculifrons*, *Vespula*, 37-39, 46.  
*maculipennis*, *Heptagenia*, 201.  
*maderensis*, *Maderentulus*, 181.  
*Maderentulus*, 177; *maderensis*, 181.  
*Magიცada septendecim*, 67.  
*majus*, *Stenonema*, 212.  
*Mallophora orcina*, 86.  
*maneei*, *Asilus*, 78; *Machimus*, 76, 78.  
*Mantis r. religiosa*, 198.



- marginalis*, *Cyrtopogon*, 40, 42.  
*mariae*, *Dolichoderus*, 246.  
*maritimus*, *Tibellus*, 103.  
 Mayflies, 105, 201-218.  
 Mecoptera, 93-97.  
*mediopunctatum*, *Stenonema*, 202, 206-208, 214, 215.  
*mediopunctatus*, *Ecdyonurus*, 215.  
 Megachilidae, 37.  
 Megapodinae, 32.  
*Melanoplus bivittatus*, 198; *confusus*, 198; *f-r. femur-rubrum*, 198; *s. sanguinipes*, *viridipes eurycerus*, 198, 199.  
*Melissodes bimaculata*, 43.  
*mellea*, *Zebe*, 148.  
*mellifera*, *Apis*, 85.  
*Meneclis insertus*, 87.  
*Metaphidippus* sp., 103.  
*metriotes*, *Stenonema*, 215.  
*Micaria montana*, 103.  
*michiganense*, *Protentomon*, 157, 171-176, 187, 193.  
*Microplitis*, 150, 151; spp., 152; *bradleyi*, 150, 151.  
 microgyna group, *Formica*, 246.  
*milbertii*, *Proctacanthus*, 85-87.  
*minimum*, *Monomorium*, 245.  
*minor*, *Xyela*, 237, 238.  
*minutus*, *Lasius*, 242, 246; *Neelides*, 186.  
 Miridae, 237.  
*misellus*, *Diogmites*, 45, 47.  
 Missouri Bee-Killer, 86.  
*moechus*, *Chrysops*, 4, 8, 10, 19, 20.  
*molesta*, *Solenopsis*, 245.  
*mollipes*, *Draeculacephala*, 80.  
*monetifera*, *Callopietria*, 80, 87.  
*Monomorium minimum*, 245.  
*montana*, *Micaria*, 103.  
*montanus*, *Chrysops*, 4, 10, 20, 21.  
*monticola*, *Myrmica*, 245.  
 Mosquitoes, 94-96.  
*multistriatus*, *Scolytus*, rearing of, 135-137; feeding behavior of, 139-144.  
*murphyi*, *Acanthomyops*, 246.  
*Musca domestica*, 80.  
 Muscidae, 60, 80.  
*Muscina* sp., 60.  
*muscorum*, *Leptothorax*, 242, 245.  
*Myrmecina americana*, 242, 245.  
*Myrmica* sp., 243; *americana*, 245; *discontinua*, *emeryana*, 245; *fracticornis*, 245; *incompleta*, 245; *monticola*, 245; *pinatorum*, 245; *punctiventris*, 242, 245; *spatulata*, 245.  
*nearcticus*, *Camponotus*, 246; *Lasius*, 246.  
 Neelidae, 183-186.  
*Neelides*, 183-186; *folsomi*, 186; *minutus*, 186; *snideri*, 183-186.  
*nellii*, *Neon*, 103.  
*Nemobius fasciatus*, 198.  
*Neoclytus* sp., 87.  
*Neoconocephalus ensiger*, 198.  
*Neodiprion sertifer*, 123-134, 231.  
*neogagates*, *Formica*, 246.  
*Neohaemonia*, 219, 220, 223; *nigricornis*, 223.  
*Neoitamus*, 71, 83, 84; *flavofemoratus*, 83; *orphne*, 66, 83.  
*Neon nellii*, 103.  
*neoniger*, *Lasius*, 246.  
*neorufibarbis*, *Formica*, 246.  
*neoternatus*, *Diogmites*, 45, 47.  
*Nephrotoma ferruginea*, 80; sp., 60.  
*nepticula*, *Formica*, 246.  
 Neuroptera, 237.  
*Nicagus obscurus*, 66.  
*niger*, *Chrysops*, 4, 5, 8, 21; *Drassylus*, 101, 103.  
*Nigrasilus nitidifacies*, 72, 84.  
*nigricornis*, *Neohaemonia*, 223; *Oecanthus*, 198.  
*nigrirostris*, *Onychylis*, 225.  
*nitidifacies*, *Nigrasilus*, 72, 84.  
 Noctuidae, 80, 87, 145-153.  
*notatus*, *Asilus*, 78; *Machimus*, 76, 78-80.  
*novaescotiae*, *Asilus*, 80; *Machimus*, 76, 80.  
*noveboracensis*, *Camponotus*, 242, 246.  
*nymphaeae*, *Pyrrhalta*, 224.  
 Nymphalidae, 73.  
*Nymphalis* sp., 73.  
*obliquata*, *Hydrothassa*, 224.  
*obscuripes*, *Formica*, 245, 246.  
*obscuriventris*, *Formica*, 246.  
*obscurus*, *Nicagus*, 66; *Xysticus*, 103.  
*octopunctatus*, *Taracticus*, 70, 71.  
 Odonata, 155.  
*Oecanthus fultoni*, 198; *nigricornis*, 198.  
 Oedipodinae, 199.  
*Ohioense*, *Stenonema*, 212.  
*Olesicampe benefactor*, 152.  
 Ommatini, 71.  
*Ommatius*, 71, 84, 88; *tibialis*, 84.  
*Onychylis*, 225; *nigrirostris*, 225.  
*opaculus*, *Lasipogon*, 67, 68.  
*Orchelimum gladiator*, 198.  
*orcina*, *Mallophora*, 86.  
*oriens*, *Holopogon*, 50, 51.  
*Ormenis pruinosa*, 82.  
*ornata*, *Agroeca*, 101-103.  
*orphne*, *Asilus*, 83; *Neoitamus*, 66, 83.  
*Orphulella* sp., 87.  
 Orthoptera, 197-200.  
*Osmia* sp., 37.  
*Oxyptila bryantae*, 100, 102-104.

- Palingenia flavescens*, 210; *pulchella*, 215; *terminata*, 215; *vitrea*, 210.  
*pallidefulva nitidiventris*, *Formica*, 246.  
*pallidum*, *Eosentomon*, 163.  
*pallipes*, *Amblyopone*, 242, 245.  
*pallitarsus*, *Lasius*, 241, 242, 245, 246.  
*Panorpa*, 93-97; sp., 66.  
 Panorpidae, 66.  
*Paratrechina parvula*, 246.  
*Pardalophora apiculata*, 198.  
*paropus*, *Asilus*, 81; *Machimus*, 76, 81.  
*parvula*, *Gnaphosa*, 101, 103; *Paratrechina*, 246.  
*pellucida*, *Rhithrogena*, 202, 205, 208, 209, 211, 212.  
 Pentatomidae, 60, 86, 87.  
*pennsylvanica*, *Ponera*, 243, 245.  
*pennsylvanicus*, *Camponotus*, 246; *Gryllus*, 198, 199.  
*pergandei*, *Formica*, 246; *Smithistruma*, 246.  
*perpusillum*, *Protentomon*, 173.  
*persimplex*, *Heptagenia*, 201.  
*phaeonotus*, *Holopogon*, 50.  
*Phasgonophora* sp., 37.  
*phellandri*, *Prasocuris*, 223.  
*Philadelphus*, 45.  
*Phrurrotimpus borealis*, 103.  
*Phyciodes tharos*, 73.  
*Phyllophaga*, 46, 81; sp., 88, 227.  
*phyllopus*, *Leptoglossus*, 87.  
*piceus*, *Asilus*, 71-73.  
*Pikonema alaskensis*, 152.  
*pikei*, *Chrysops*, 4, 6, 10, 22, 24.  
*pinatorum*, *Myrmica*, 245.  
 Pine root collar weevil, 115-121, 231.  
*pinus*, *Choristoneura*, 237.  
*pinusbanksianum*, *Eosentomon*, 187, 189-191.  
 Pipunculidae, 41.  
*piscatrix*, *Donacia*, 220, 222.  
*plagiatus*, *Dolichoderus*, 246.  
 Plant bugs, 237.  
*Plateumaris*, 219, 220, 223; *diversa*, 223; *emarginata*, 223; *fulvipes*, 223; *germari*, 223; *sulcicollis*, 223.  
*platypterus*, *Diogmites*, 45, 47.  
*Pnigodes*, 225.  
*Podisus* sp., 60.  
*pogonias*, *Asilus*, 75; *Efferia*, 74, 75.  
*Pogonomyrmex barbatus*, 87.  
*Polistes apachus*, 85.  
*Pollenia rudis*, 80.  
*polonicus*, *Berberentulus*, 195.  
*Polyergus lucidus*, 246.  
*pomari*, *Eosentomon*, 157, 165-169.  
 Pompilidae, 69, 88.  
*Ponera pennsylvanica*, 243, 245.  
*porosicollis*, *Donacia*, 220-222.  
*posticata*, *Laphria*, 53, 64.  
 Prasocurini, 223.  
*Prasocuris*, 223; *phellandri*, 223.  
*pratensis*, *Agroeca*, 103.  
*Prenolepis imparis*, 246.  
*Pristophora erichsonii*, 152.  
*Proacerella*, 157, 176-181; *reducta*, 157, 177-181.  
*Proceratium silaceum*, 245.  
*Proctacanthus*, 32, 71, 84-87; *hinei*, 85; *milbertii*, 85-87.  
*Promachus*, 71, 87, 88; *bastardii*, 87; *dimidiatus*, 85; *fitchii*, 87, 88; *vertebratus*, 87, 88.  
*propinqua*, *Dioctria*, 44, 45.  
 Protentomidae, 171.  
*Protentomon*, 171-176, 193; *fallax*, 174; *michiganense*, 157, 171-176, 187, 193; *perpusillum*, 173; *transitans*, 176.  
 Protura, 157-181, 187-195.  
*Proturentomon*, 171; *discretum*, 173; *iowaense*, 157, 170, 171, 187, 191.  
*proxima*, *Donacia*, 221, 222.  
*proximum*, *Stenonema*, 212.  
*pruinosa*, *Ormenis*, 82.  
*pruni*, *Eosentomon*, 157, 159-162, 163, 170.  
*Prunus*, 45.  
*Pseudiron centralis*, 201.  
*pseudonietana pseudonietana*, *Arphia*, 198.  
*Pseudopomala brachyptera*, 198, 199.  
*Psithyrus* sp., 85.  
*Pteridium aquilinum*, 63.  
*pubera*, *Ecthopoda*, 48.  
*pubescens*, *Donacia*, 220, 222.  
*pubicollis*, *Donacia*, 220, 222.  
*pudicus*, *Chrysops*, 2, 4, 6, 9, 16, 22-24.  
*puella*, *Atomosia*, 37, 38; *Laphria*, 37.  
*pugnatus*, *Scotinella*, 103.  
*pulchella*, *Palingenia*, 215; *Smithistruma*, 246.  
*pulchellum*, *Stenonema*, 202, 207, 208, 214, 215.  
*pulla*, *Heptagenia*, 202, 203, 206, 207, 209, 211.  
*pullus*, *Ecdyurus*, 211.  
*punctiventris*, *Myrmica*, 242, 245.  
*pustularia*, *Itame*, 80.  
*pustulatus*, *Dolichoderus*, 246.  
 Pyralidae, 80, 86, 237.  
*pyramicus*, *Conomyrmex*, 246; *Dorymyrmex*, 245, 246.  
*Pyrrhalta*, 224; subgenus *Galerucella*, 224; *nymphaeae*, 224.  
*quadricollis*, *Donacia*, 220, 222.  
*quadripustulata*, *Winthemia*, 80.

*Quercus velutina*, 63.  
*quinquespinum*, *Stenonema*, 213.  
*radicis*, *Hylobius*, 231, 115-121.  
Rearing techniques, 105-109.  
*reducta*, *Proacerella*, 157, 177-181.  
*reicherti*, *Chrysops*, 2, 4, 5, 8, 9, 14, 16, 23, 24.  
*religiosa religiosa*, *Mantis*, 198.  
*Rhithrogena*, 203, 205, 210, 211; *impersonata*, 202, 203, 205, 208, 209, 211, 212; *impersonata sanguinea*, 205; *jejuna*, 202, 203, 205, 208, 209, 211, 212; *pellucida*, 202, 205, 208, 209, 211, 212; *sanguinea*, 211; *undulata*, 202, 203, 205, 208, 209, 212.  
*Rhyacionia buoliana*, 81, 231.  
*ridingsi*, *Andrenosoma*, 36.  
*rivulicolum*, *Stenonema*, 215.  
*rivulicolus*, *Ecdyonurus*, 214.  
Robber flies, 31-91.  
*royalensis*, *Bombomima*, 65; *Laphria*, 53, 65.  
*ruber*, *Ecdyonurus*, 215.  
*rubicunda*, *Formica*, 246.  
*rubrocinctum*, *Trypoxylon*, 37.  
*rubrum*, *Stenonema*, 202, 206-208, 213-215.  
*rudis*, *Aphaenogaster*, 245; *Pollenia*, 80.  
*rufescens*, *Donacia*, 221-222.  
*rufipes*, *Atomosia*, 37, 38.  
*Rumex acetocella*, 63.  
*sackeni*, *Chrysops*, 4, 9, 13, 23, 24.  
*sacrorator*, *Laphria*, 53, 65.  
*sadales*, *Laphria*, 53, 65.  
*sadyates*, *Asilus*, 81; *Machimus*, 76, 81, 82.  
*saharensis*, *Eosentomon*, 162; group, *Eosentomon*, 162.  
Salticidae, 99, 103.  
*sanguinea*, *Rhithrogena*, 211; group, *Formica*, 246.  
*sanguinipes sanguinipes*, *Melanoplus*, 198.  
Sarcophagidae, 80.  
Scarabaeidae, 46, 64, 66, 83, 87, 88.  
*schaufussi*, *Formica*, 246.  
*schaumi*, *Leptothorax*, 245.  
*schmitti*, *Stenamamma*, 241, 244, 245.  
Scolytidae, 135-144.  
*Scolytus multistriatus*, rearing of, 135-137; feeding behavior of, 139-144.  
*scorpio*, *Laphria*, 52, 54, 55.  
Scorpionfly, 93  
*Scotinella pugnatus*, 103.  
*semipurpurana*, *Argyrotoxa*, 83.  
*Senicio*, 61.  
*septendecim*, *Magiccada*, 67.  
*sequax*, *Chrysops*, 4, 8, 10, 12, 15, 22, 24, 25.  
*sequax tau*, *Chrysops*, 25.  
*sericata*, *Gnaphosa*, 103.  
*sericea*, *Laphria*, 53, 66.  
*sericeus*, *Asilus*, 34, 72, 73.  
*sertifera*, *Neodiprion*, 123-134, 231.  
*sessile*, *Tapinoma*, 246.  
*sicula*, *Laphria*, 52, 54, 58, 59.  
*silaceum*, *Proceratium*, 245.  
*simplex*, *Anepeorus*, 201; *Lissorhophotrus*, 224, 225.  
Simuliidae, 37.  
*Simulium* sp., 37.  
*Smithistruma*, 245; *pergandei*, 246; *pulchella*, 246.  
*snideri*, *Neelides*, 183-186.  
*snowi*, *Holopogon*, 37.  
*snowii*, *Asilus*, 82; *Machimus*, 76, 82.  
*sociale*, *Eosentomon*, 157, 161-165, 170.  
*solatrix*, *Epiphragma*, 81.  
*Solenius* sp., 87.  
*Solenopsis molesta*, 49, 245.  
*sordidus sordidus*, *Encoptolophus*, 198.  
*Spandis* sp., 202, 204, 208-210, 212; *wallacei*, 212.  
*spatulata*, *Myrmica*, 245.  
*speculiventris*, *Lasius*, 242, 246.  
Sphecidae, 37, 87.  
*spicata*, *Liatrus*, 63.  
Spider, 46, 99-104.  
*Stenacron*, 201, 203; *interpunctatum*, 203, 205, 208-210, 212.  
*Stenamamma*, 241-245; *brevicornis*, 241, 243, 245; *diecki*, 241-245; *impar*, 241, 244, 245; *schmitti*, 241, 244, 245.  
*Stenonema*, 201, 202, 206, 210, 212-215; *affine*, 212; *alabamae*, 213; *areion*, 212; *bellum*, 215; *bipunctatum*, 203, 206-208, 213, 214, 216; *canadense*, 212; *conjunctum*, 212; *exiguum*, 202, 205, 207, 208, 213-215; *femoratum*, 216; *femoratum tripunctatum*, 216; *frontale*, 212; *fuscum*, 202, 203, 205-208, 214, 215; *heterotarsale*, 212; *integrum*, 202, 206-208, 214, 215; *interpunctatum*, 212; *ithaca*, 201; *luteum*, 201; *majus*, 212; *mediopunctatum*, 202, 206-208, 214, 215; *metriotes*, 215; *ohioense*, 212; *proximum*, 212; *pulchellum*, 202, 207, 208, 214, 215; *quinquespinum*, 213; *rubrum*, 202, 206-208, 213-215; *rivulicolum*, 215; *terminatum*, 202, 206-208, 213,

- 214, 216; *tripunctatum*, 202, 205, 207, 208, 214, 216; *varium*, 215; *vicarium*, 215; *wabasha*, 215.
- Stenopogonini, 35.
- Stichopogon*, 36, 69-70; *argenteus*, 69; *trifasciatus*, 69, 70.
- Stichopogonini, 35.
- striatus*, *Chrysops*, 4, 10, 25, 26.
- Strymon titus*, 73.
- subglaber*, *Acanthomyops*, 246.
- subintegra*, *Formica*, 246.
- subnuda*, *Formica*, 246.
- subsericea*, *Formica*, 246.
- subterraneus*, *Zelotes*, 101-104.
- subtilis*, *Donacia*, 221, 222.
- sulcicollis*, *Plateumaris*, 223.
- sulphurea*, *Arphia*, 198.
- symmachus*, *Diogmites*, 87.
- Syrphidae, 41, 46, 60, 87, 88.
- Tabanidae, 1-29, 60, 80.
- Tabanus*, 1, 3; sp., 80.
- Tachinidae, 80.
- Tachysphex* sp., 87.
- Tanyosphyrus*, 226; *lemnae*, 226.
- Tapinoma sessile*, 246.
- Taracticus*, 36, 44, 70, 71; *octopunctatus*, 70, 71.
- taschenbergi*, *Dolichoderus*, 246.
- tau*, *Chrysops*, 25.
- tenax*, *Eristalis*, 87.
- tennesseensis*, *Aphaenogaster*, 245.
- terminalis*, *Anthophora furcata*, 46.
- terminata*, *Palingenia*, 215.
- terminatum*, *Stenonema*, 202, 206-208, 213, 214, 216.
- terricola*, *Lasiopogon*, 67, 68.
- testaceus*, *Atlanticus*, 198, 199.
- tetragrammus*, *Lasiopogon*, 67, 68.
- texana*, *Donacia*, 221, 222.
- texanus*, *Leptothorax*, 245.
- tharos*, *Phyciodes*, 73.
- Theridiidae, 99.
- Thomisidae, 99, 103.
- thoracica*, *Laphria*, 53, 67.
- Thripidae, 237.
- Thrips, 237.
- Thysanoptera, 237.
- Tibellus maritimus*, 103.
- tibialis*, *Holopogon*, 83; *Ommatius*, 84.
- Tiphidae, 87.
- Tiphia* sp., 87.
- Tipula* sp., 83.
- Tipulidae, 49, 60, 80, 81, 83, 87.
- titus*, *Strymon*, 73.
- tityrus*, *Epargyreus*, 73.
- tokiokai*, *Eosentomon*, 166.
- Tolmerus*, 76.
- Tortricidae, 83, 237.
- transitans*, *Protentomon*, 176.
- treatae*, *Aphaenogaster*, 245.
- trifasciatus*, *Stichopogon*, 69, 70.
- Trionychia, 99.
- tripunctata*, *Hexagenia*, 216.
- tripunctatum*, *Stenonema*, 202, 205, 207, 208, 214, 216; *Stenonema femoratum*, 216.
- Trypoxylon rubrocinctum*, 37.
- tuberculifrons*, *Donacia*, 220-223.
- udagawai*, *Eosentomon*, 162-164, 169, 191.
- ulkei*, *Formica*, 245, 246.
- umbratus*, *Lasius*, 246.
- undulata*, *Rhithrogena*, 202, 203, 205, 208, 209.
- undulatus*, *Epeorus*, 212.
- univittatus*, *Chrysops*, 2, 4, 9, 19, 26, 27.
- vagans*, *Bombus*, 67; *Cyrtopogon*, 40, 42, 43.
- varium*, *Stenonema*, 215.
- veletis*, *Gryllus*, 198, 199.
- velutina*, *Quercus*, 63.
- vermiforme*, *Eosentomon*, 157, 159, 160.
- vertebratus*, *Promachus*, 87, 88.
- vesperum*, *Enallagma*, 155.
- Vespidae, 37, 46, 86.
- Vespula arenaria*, 38, 39; *maculifrons*, 37-39, 46; sp., 86; *vulgaris*, 46.
- vicarium*, *Stenonema*, 215.
- vinculans*, *Formica*, 246.
- virginica*, *Xylocopa*, 85.
- virginicus*, *Asilus*, 82; *Machimus*, 31, 76, 78, 79, 82, 83.
- viridifasciata*, *Chortophaga*, 198.
- viridipes eurycercus*, *Melanoplus*, 198, 199.
- vittata*, *Hydrothassa*, 224.
- vittatus*, *Chrysops*, 2, 4, 5, 10, 26, 27.
- vitrea*, *Epeorus*, 202, 203, 207, 209, 210; *Palingenia*, 210.
- vockerothi*, *Holopogon*, 50, 51.
- vulgaris*, *Vespula*, 46.
- vulneratus*, *Cyrtopogon*, 40, 43.
- wabasha*, *Stenonema*, 215.
- wallacei*, *Spandis*, 212.
- Weevil, 115-121.
- westraliense*, *Eosentomon*, 166.
- wheeleri*, *Eosentomon*, 157, 159, 160, 187.
- White grubs, 227-230.
- wiedemanni*, *Chrysops*, 27.
- winnemana*, *Laphria*, 52, 54, 58, 59.
- Winthemia quadripustulata*, 80; sp., 150.

*Xyela* sp. cf. *minor*, 237, 238.

Xyelidae, 237.

*Xylocopa virginica*, 85.

*Xysticus* sp., 100, 103; *elegans*, 103; *ellipticus*, 103; *ferox*, 103; *luctuosus*, 103; *obscurus*, 103.

Yellow-headed sawfly, 152.

Yellow jacket, 38, 39.

*Yamatentomon*, 176; *barberi*, 157, 176.

*Zele mellea*, 148.

*Zelotes subterraneus*, 101-104.

Zimmerman pine moth, 231-237.

*zimmermani*, *Dioryctria*, 231-236.